

**CATALOGUE**  
for 1855,  
OF A CHOICE COLLECTION OF  
**FLORICULTURAL, VEGETABLE AND**  
**AGRICULTURAL**  
**SEEDS,**

COMPRISING SPLENDID ASSORTMENTS OF

**GERMAN ASTERS, STOCKS, ZINNIAS, &c.,**

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED  
FAVOURITES, AND MANY NEW AND RARE SEEDS.

*In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1855.*

Page 2 and 3 Necessary explanations.

4 German Flower Seeds.

5 to 22 Miscellaneous Flower Seeds.

22 and 23 Sundry Shrub Seeds.

Page 24 Sundry Assortments.

25 Mixed Flower Seeds.

27 Flowering Bulbs.

28 to 31 Kitchen Garden and Fruit Seeds.

Page 17 Additional Flower Seeds, many of which are quite new, and rare.

26 Selections of Hardy and Half-hardy Annuals, &c.

26 Reference to the newest Annuals, &c. &c.

27 Fruit Seeds; 32 Agricultural Seeds.

THE

**LIST OF VEGETABLE SEEDS**

WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.

TO BE HAD OF

**JAMES CARTER,**  
**SEEDSMAN AND FLORIST,**

238, HIGH HOLBORN, LONDON

Catalogues will be forwarded gratis and prepaid on application.


\* \* \* The German Seeds are from the usual sources.

A Catalogue of Dutch Bulbs will be published in the Autumn.

Revised Edition, Feb. 1, 1855.

[Entered at Stationers' Hall.]

Presented to the L. H. Bailey Hortorium  
by the Missouri Botanical Garden, 1972.



## THE NECESSARY EXPLANATIONS

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders, and Duration.

4th Column.—Hardiness

- h. hardy—plants for the open borders.  
 hh. half-hardy—such as require a hot-bed.  
 t. tender—pot plants, require shifting.  
 f. frame—require protection till May.  
 g. greenhouse—greenhouse plants.  
 s. stove or hothouse—stove plants.

- A. annual—last one year.  
 B. biennial—last two years.  
 P. herbaceous perennial—last three or more.  
 S. shrub, or under-shrub.  
 Pb. perennial bulb, corn, or tuber.  
 T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hShardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—Colour of the flower. The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	flsh. flesh.	pch. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. blash.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; h. w. & y. blue, white and yellow; l. r. light red; ro. li. rosy lilac, &c. &c.

6th Column.—Usual height of the plant in feet; trai. trailer.

7th Column.—Usual month of flowering: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.

8th Column.—Price per Packet. 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked \*\* may be planted in the borders in May.

\* Dwarf Plants proper for the edgings of beds. \*\* Ornamental Climbers.

† Usually flower the first year, if sown early.

sp. species; var. varietas; pl. pluria, many; ex, from.—lf. leaf; fr. fruit.

The dots | ... | ... | ... | indicate a repetition.

## I. THE 24 LINNEAN CLASSES.

(See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		c. Stamens united in sets.	
	No. 1. Monandria	1 stamen	16. Monadelphia, 1 set	
	2. Diandria	2 stamens	17. Diadelphia, 2 sets	
	3. Triandria	3 "	18. Polyadelphia, many sets	
	4. Tetrandria	4 "	d. Compound Flowers (Asters, &c.).	
	5. Pentandria	5 "	19. Syngenesia	
	6. Hexandria	6 "	e. Stamens on the style.	
	7. Heptandria	7 "	20. Gynandria	
	8. Octandria	8 "	f. Male and female separated.	
	9. Enneandria	9 "	21. Monœcia, on one plant	
	10. Decandria	10 "	22. Diœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup		g. Male, female, and hermaphrodite Flowers on one or different plants.	
	12. Icosandria 20 or more S. on the base		23. Polygamia, many marriages	
	13. Polyandria, many Stamens		h. Flowers wanting, or incomplete.	
	b. Stamens unequal.		24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
	14. Didynamia, 2 long, 2 short			
	15. Tetradyndamia, 4 " 2 "			

## II. THE LINNEAN ORDERS.

(See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, Pods, or Fronds.

a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	. 2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodecagýnia	. 12 "
35. Polygýnia	many "

b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "
48. Polyandria	many "

c. On the sets of Stamens.

49. Monadelphía, 1 set

d. Styles and stamens united.

No. 50. Gynandria, male and female

e. Male and female separate.

51. Monœ'cia, on one plant  
52. Dioœ'cia, on different plants

f. On the Polygamy.

53.	{ Polygámia æqualis, or Equal Polygamy
54.	{ Polygámia superflua Superfluous Polygamy
55.	{ Polygámia frustranea Frustrated Polygamy
56.	{ Polygámia necessaria Necessary Polygamy
57.	{ Polygámia segregata Separated Polygamy

g. On the Seeds.

58.	{ Gymnosper'mia Naked seeds
59.	Angiosper'mia, in a capsule

h. On the Pods.

60.	Siliiculôsa, a small pod
61.	Siliquôsa, a long pod.

i. On the Fronds, &c.

62. Filices, Ferns.

## III. THE NATURAL ORDERS.

(See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

63. Acanthaceæ	87. Crassulaceæ	111. Linaceæ	135. Proteaceæ
64. Amaranthaceæ	88. Crucifereæ	112. Loasaceæ	136. Ranunculaceæ
65. Amariyllidaceæ	89. Cucurbitaceæ	113. Lobeliaceæ	137. Resedaceæ
66. Amentaceæ	90. Dilleniaceæ	114. Lythraceæ	138. Rosaceæ
67. Apocynaceæ	91. Dipsaceæ	115. Malvaceæ	139. Rubiaceæ
68. Araliaceæ	92. Epacridaceæ	116. Marantaceæ	140. Rutaceæ
69. Asarinaceæ	93. Ericaceæ	117. Dielanthaceæ	141. Saxifragaceæ
70. Asclepiadaceæ	94. Euphorbiaceæ	118. Melastomaceæ	142. Scitamineæ
71. Balsaminaceæ	95. Ficoidæ	119. Myrtaceæ	143. Scrophulariaceæ
72. Begoniaceæ	96. Filices	120. Nyctaginæ	144. Sesuvier
73. Bignoniaceæ	97. Francoaceæ	121. Nymphaeaceæ	145. Silenaceæ
74. Boraginaceæ	98. Fumariaceæ	122. Oleaceæ	146. Solanaceæ
75. Bruniaceæ	99. Gentianaceæ	123. Oleaceæ	147. Stellate
76. Cactaceæ	100. Geraniaceæ	124. Onagrariæ	148. Tamarixaceæ
77. Camelliaceæ	101. Gesneriaceæ	125. Oxalidaceæ	149. Thymelaceæ
78. Campanulaceæ	102. Gramineæ	126. Papaveraceæ	150. Tiliaceæ
79. Capparidaceæ	103. Hydrophyllaceæ	127. Passifloraceæ	151. Tropæolaceæ
80. Caprifoliaceæ	104. Hypericaceæ	128. Pittosporaceæ	152. Tulipaceæ
81. Cistaceæ	105. Iridaceæ	129. Plumbaginaceæ	153. Umbellifereæ
82. Cobæaceæ	106. Jasmínaceæ	130. Polemoniaceæ	154. Urticaceæ
83. Commelinaceæ	107. Labiata	131. Polygalaceæ	155. Valerianaceæ
84. Compôsite	108. Leguminosæ	132. Polygonaceæ	156. Verbenaceæ
85. Conifereæ	109. Liliaceæ	133. Portulacaceæ	157. Violaceæ
86. Convolvulaceæ	110. Limnanthaceæ	134. Primulaceæ	158. Zygophyllaceæ
159. Eutomaceæ	160. Musaceæ	161. Sapindaceæ	162. Smilacinaceæ.

The names of the Natural Orders ending in *ACEÆ* are chiefly derived from Generic Names, as *CAMPANULACEÆ* from *CAMPANULA*; such as end in *A* only are not, as *COMPOSITEÆ*, compound flowers; *CRUCIFEREÆ*, cross-shaped; *LABIATÆ*, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 63 to 161 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, *Anagallis*, *Cyclamen*, *Dodecatheon*, *Primula sinensis*, and *Auricula* belong to the same Natural Order, *Primulaceæ*, No. 134; consequently should he not know *Dodecatheon*, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should however be considered. The *Aster* and the *Daisy*, for example, belong to the same Natural Order 84, but at first sight there does not appear to be much resemblance between them, the difference in the magnitude of the flowers and height of the plants being so very great.



# **GERMAN FLOWER SEEDS**

IN CHOICE ASSORTMENTS.

*The Seeds are warranted of first-rate quality.*

*Explan. h. hardy; h. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial; S. Shrub.*

*Those designated by a † flower the first year and are treated as Annuals.*

No.						s. d.
1	12 extra fine varieties of	quilled	German Aster, separate,	hhA.	.....	3 0
2	12 do.	do.	do.	do.	„ smaller packets	1 6
3	12 splendid	do.	new Globe	do.	do.	3 0
4	12 do.	do.	do.	do.	„ smaller packets	1 6
5	12 superb	do.	new Perfection	do.	do.	5 0
6	12 do.	do.	do.	do.	„ smaller packets	2 6
7	12 very fine	do.	Pyramidal	do.	do.	3 0
8	12 do.	do.	do.	do.	„ smaller packets	1 6
9	48 varieties comprising Nos. 1, 3, 5, 7		do.	do.	do.	13 0
10	48 do.	do.	2, 4, 6, 8	do.	„ smaller packets	6 6
11	12 beautiful varieties	new Bouquet	do.	do.	do.	5 0
12	12 do.	do.	do.	do.	„ smaller packets	2 6
13	16 very choice	do.	new Dwarf	do.	do.	4 0
14	16 do.	do.	do.	do.	„ smaller packets	2 0
15	26 beautiful	do.	Dwarf German Stock,	do.	do.	7 0
16	26 do.	do.	do.	do.	„ smaller packets	3 6
17	16 selected	do.	do.	do.	do.	5 0
18	16 do.	do.	do.	do.	„ smaller packets	2 6
19	12 very fine	do.	Branching	do.	do.	3 0
20	12 do.	do.	do.	do.	„ smaller packets	1 6
21	12 fine	do.	Wallflower-leaved	do.	do.	3 0
22	12 do.	do.	do.	do.	„ smaller packets	1 6
23	50 varieties comprising Nos. 15, 19, 21		do.	do.	do.	12 0
24	50 do.	do.	16, 20, 22	do.	„ smaller packets	6 0
25	6 superb new varieties	large-flowered	do.	do.	do.	2 6
26	6 do.	do.	do.	do.	„ smaller packets	1 6
27	6 beautiful	do.	Miniature	do.	do.	2 6
28	6 do.	do.	do.	do.	„ smaller packets	1 3
29	12 very fine	do.	Autumnal	do.	do.	3 0
30	12 do.	do.	do.	do.	„ smaller packets	1 6
31	10 splendid	do.	Imperial	do.	hhP†	5 0
32	10 do.	do.	do.	do.	„ smaller packets	2 6
33	12 extra fine	do.	Winter	do.	hhB.	3 0
34	12 do.	do.	do.	do.	„ smaller packets	1 6
35	6 finest	do.	New Cape or Giant	do.	do.	2 6
ADDITIONAL SEEDS.						
36	12 extra fine varieties of the newest	Antirrhinum, separate,	hB†	.....		3 0
37	12 very fine	do. double	Balsam,	do.	tA. or Greenhouse	2 6
38	12 newest	do. Camellia	do.	do.	„	2 6
39	10 finest	do. Rose-flowered	do.	do.	„	2 6
40	10 beautiful	do. Miniature	do.	do.	„	2 6
41	50 splendid	do. German	Picotee & Carnation,	hhP.	.....	12 0
42	20 new	do. Perpetual	do.	separate,	„	4 6
43	20 fine	do. German	Hollyhock,	do.	hP.	3 6
44	20 finest prize	do. English	do.	do.	„	5 0
45	12 extra fine	do. Dwarf Rocket	Larkspur,	do.	hA.	2 6
46	12 very fine	do. Pyramidal	do.	do.	„	2 6
47	10 beautiful	do. Hyacinth	do.	do.	„	2 6
48	10 splendid	do. Branching	do.	do.	„	2 6
49	12 finest	do. German	Marigold,	do.	hhA.	2 6
50	12 beautiful	do. do.	Petunia,	do.	hhP†, or Greenhouse	3 6
51	12 extra fine	do. do.	Phlox Drummondii,	do.	hhA. or do.	3 6
52	12 finest new	do. Perennial	Phlox	do.	hhP.	3 6
53	12 superb	do. Pæony	Poppy,	do.	hA.	2 6
54	12 beautiful	do. newest	Salpiglossis,	do.	hhB†, or Greenhouse	3 0
55	12 splendid	do. large-flowered	Scabious,	do.	hA.	2 6
56	12 beautiful	do. new dwarf	do.	do.	„	2 6
57	12 superb	do. German	Wallflower,	do.	hS.	5 0
58	12 do.	do. do.	do.	do.	„	2 6
59	24 splendid	do. do.	Zinnia elegans,	do.	hhA.	7 0
60	12 do.	do. do.	do.	do.	„	3 6

# CATALOGUE 1855.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 78, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, Bell-shaped Flowers. See page 7. For Shrubs see page 22 and 23.

## MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Ageratum mexicanum*, for instance, is rendered Mexican *Ageratum*.—In giving orders it is preferable to mention the numbers and date of this Catalogue, 1855. N.B. The numbers being changed every year, it is absolutely necessary to say that they are from Catalogue 1855.

A — indicates a variety, see No. 84. ( ) That the word is not literally translated, or is superadded.

### THE ACCENTS.

à, é, î, ò, ù, ý, as in *Àca-cia*, *Gardè-nia*, *Lupì-nus*, *Cù-phea*, *Hý-acinth*.

á, é, í, ó, and ý, as in *Itál-ica*, *él-egans*, *bíe-olor*, *Nemóph-ila* (u similarly placed is long, as in *lúeida*).

No.	Scientific Name.	Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
							feet		s. d.
61	<i>Abrònia umbellàta</i>	5	25	120	hhA	ro. li.	traí	6-8	6
62	<i>Achímenes</i> , pl. sp. et var.	14	59	101	sPb	div.	1	6-10	1 0
63	<i>Aeonitum lycoctonum</i>	13	28	136	hP	b.	2	7-8	3
64	<i>Adenóphora suavólens</i>	5	25	78	hP†	l. b.	...	...	3
65	<i>Æthionèma cristàta</i>	15	60	88	hhP†	ro.	½	6-8	3
66	<i>persica</i>	...	...	...	...	li.	...	...	3
67	<i>Ageratum mexicanum</i>	19	53	84	hA	b.	2	6-9	3
68	<i>odoratum</i>	...	...	...	...	...	...	...	3
69	<i>Agrostis elegans</i>	3	26	102	...	ap.	1	7-8	3
70	<i>Alonsòa incisifolia</i>	14	59	143	hhB†	s.	...	6-9	6
71	<i>Alpínia nútans</i>	1	25	142	sP	r. & y.	traí	5-7	1 0
72	<i>Alstroemèria hybrida novà</i>	6	...	65	hPb	div.	2	6-9	6
73	<i>pulehella</i>	...	...	...	...	s.	...	...	6
74	<i>Alyssum Benthàmi*</i>	15	60	88	hA	w.	1	6-8	6
75	<i>saxatile</i>	...	...	...	hP†	y.	...	5-7	3
76	<i>sp. perennans</i>	...	...	...	...	w. ?	...	...	3
77	<i>Wiersbeckii</i>	...	...	...	...	w. & y.	...	...	3
78	<i>Amaranthus triecolor</i>	21	25	64	tA	va. l.	...	7-8	3
79	<i>Amethystea cærulea</i>	2	...	107	hA	b.	1½	...	3
80	<i>Amphèrephis intermèdia</i>	19	53	84	...	p.	...	...	3
81	<i>Anácelys grandiflorus</i>	...	...	54	...	y.	...	...	3
82	<i>Anagallis india</i>	5	25	134	...	b.	½	6-8	3
83	<i>Monelli</i>	...	...	...	gP†	...	1	6-9	6
84	— <i>bicolor</i>	...	...	...	...	ro. & v.	...	...	6
85	— <i>grandiflora</i>	...	...	...	...	cop.	...	...	6
86	— <i>Phillipsii</i>	...	...	...	...	b.	...	...	6
87	— <i>Parksii</i>	...	...	...	...	s.	...	...	6
88	— <i>rosea</i>	...	...	...	...	ro.	...	...	6
89	<i>Anehisa arvális</i>	...	...	74	hP†	b.	1½	7-8	3
90	<i>ochroleuca itálica</i>	...	...	...	...	...	...	...	3
91	<i>Anemone coronària</i>	13	35	136	hPb	div.	½	5-7	6
92	<i>Pulsatilla</i>	...	...	...	...	v.	1	4-5	6
93	<i>Anoda Dilleniana</i>	16	48	115	hA	b.	2	7-8	3
94	<i>Anomathicea erienta</i>	3	25	105	fPb	r.	1	7-9	6
95	<i>Antirrhinum majus</i>	14	59	143	hP†	div.	2	6-10	6
96	<i>majus albidiflorum</i>	...	...	...	...	w.	...	...	3
97	— <i>bicolor</i>	...	...	...	...	2-eol.	...	...	3
98	— <i>caryophylloides</i>	...	...	...	...	stri.	...	...	3
99	— <i>coccineum</i>	...	...	...	...	s.	...	...	3
100	— <i>elegans</i>	...	...	...	...	var.	...	...	3
101	— <i>flavum</i>	...	...	...	...	y.	...	...	3
102	— <i>kermesinum</i>	...	...	...	...	er.	...	...	3
103	— <i>natum novum</i>	...	...	...	...	w. & r.	1	...	3
104	— <i>pictum</i>	...	...	...	...	e. & y.	2	...	3
105	— <i>purpureo-flavum</i>	...	...	...	...	p. & y.	...	...	3
106	— <i>quadriceolor</i>	...	...	...	...	4-eol.	...	...	3

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded (See page 5.)</i>			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
107	Antirrhinum m. striatum	Snapdragon, striped	14	59	143	hP+	stri.	2	6-10	3
108	— variegatum	— variegated	...	...	...	...	var.	...	...	3
109	Aquilegia bicolor	two-coloured	13	30	136	...	p.	1½	5-7	3
110	canadensis	Canadian	...	...	...	...	r. & o.	...	...	3
111	formosa	beautiful	...	...	...	...	...	...	...	3
112	fragrans	fragrant	...	...	...	...	y. var.	...	...	6
113	glandulosa	glandular	...	...	...	...	b. & w.	...	...	3
114	sibirica	Siberian	...	...	...	...	b.	...	...	3
115	Skinneri	Mr. Skinner's	...	...	...	...	s. & g.	...	...	6
116	Arabis alpina	alpine	15	61	88	...	w.	¾	3-5	3
117	Arctotis hreviscapa	narrow-scaped	19	56	84	hhA	o. & br.	1	7-8	6
118	Argemone grandiflora	large-flowered	13	25	126	hA	w.	2	...	3
119	mexicana	Mexican	...	...	...	...	y.	...	...	3
120	speciosa	showy	...	...	...	...	...	...	...	3
121	Aristea cyanea	sky-blue	3	...	105	fP	b.	1	5-7	6
122	spiralis	spiral	...	...	...	...	p. & b.	...	...	6
123	Artemisia mexicana	Mexican	14	59	143	gP+	b.	2	6-7	6
124	Aselepias curassavica	Curassao	5	26	70	sP	s.	2½	6-8	3
125	tuberosa	tuberosa	...	...	...	hPb	o.	1½	7-8	6
126	Asphodelus albus	white	6	25	109	hP	w.	2	6-7	6
127	Aster tenellus	slender	19	54	84	hB+	b. & y.	¾	6-8	3
128	paniculatus	panicked	...	...	...	hP	li.	2	7-8	3
129	Bartonia aurea	golden	12	25	112	hA	y.	1	...	3
130	Bellis perennis, fl. pl.	(double Daisy m.)	19	54	84	hP+	div.	½	4-8	10
131	Bidens grandiflora	large-flowered	...	55	...	hA	y.	2	7-8	3
132	Blumenbachia insignis	beautiful	18	48	112	...	w.	1	...	3
133	Brachycome iberidifolia	Iberis-leaved	19	54	84	hhA	b.	1½	...	4
134	iberidifolia alba	— white	...	...	...	...	w.	...	...	4
135	— azurea	— azure	...	...	...	...	s. b.	...	...	4
136	— bicolor	— two-coloured	...	...	...	...	2-col.	...	...	4
137	— fimbriata	— fringed	...	...	...	...	var.	...	...	4
138	— lilacina	— lilac	...	...	...	...	li.	...	...	4
139	— variegata	— variegated	...	...	...	...	var.	...	...	4
140	diversifolia	various-leaved	...	...	...	...	w.	...	...	4
141	Browallia elata	tall	14	59	143	gA	b.	2	6-8	4
142	elata alba	— white	...	...	...	...	w.	...	...	4
143	demissa	spreading	...	...	...	...	b.	1	...	4
144	Bulbine aloides	Aloc-like	6	25	109	fP	y.	...	7-8	10
145	Caecilia coccinea	scarlet	19	53	84	hhA	s.	¾	...	3
146	coccinea aurea	— yellow	...	...	...	...	y.	...	...	3
147	Calampelis scabra**	(Eccremocarpus)	14	59	73	gP+	o.	6	6-9	4
148	miniata**	— carmine	...	...	...	...	ver.	...	...	6
149	punicea**	— scarlet	...	...	...	...	s.	...	...	6
150	Calandrinia discolor	two-coloured	11	25	133	hhP+	ro.	1½	7-8	4
151	grandiflora	large-flowered	...	...	...	...	p.	...	...	3
152	Lindleyana	Dr. Lindley's	...	...	...	hA	r.	1	...	3
153	speciosa	showy	...	...	...	...	p.	...	...	3
154	umbellata	umbel-flowered	...	...	...	hhP+	...	¼	...	6
155	Calceolaria hybrida	hybrid, 100 var.	2	...	143	gP	div.	2	6-9	10
156	hybrida punctata	(superb spotted)	...	...	...	...	...	...	...	10
157	Kayii	Kay's	...	...	...	hhP	y.	1	...	6
158	pinnata	pinnate (winged)	...	...	...	hhA	...	1½	7-8	3
159	scabiosifolia	Scabious-leaved	...	...	...	hhP+	...	...	6-9	6
160	subcrecta	suberect	...	...	...	...	...	1	...	6
161	sp. ex Peru	Peruvian species	...	...	...	hhA	...	...	7-8	6
162	Callichoa platyglossa	(broad-rayed)	19	54	84	hA	...	...	...	3
163	Calliopsis Atkinsoniana	Mr. Atkinson's	...	55	...	hP+	y. & br.	4	7-9	3
164	bicolor (Coreopsis)	two-coloured	...	...	...	hA	...	1½	...	3
165	— marmorata	— marbled	...	...	...	...	mar.	...	...	4
166	— grandiflora	— large-flowered	...	...	...	...	y. & br.	...	...	3
167	— nana nova	— new dwarf	...	...	...	...	...	¾	...	4
168	— nigra speciosa	— showy	...	...	...	...	d. r.	1½	...	3
169	— semiplena	— semi-double	...	...	...	...	div.	...	...	4
170	coronata	garland	...	...	...	...	spot.	...	...	6
171	Drummondii	Mr. Drummond's	...	...	...	...	y. & br.	1	...	3
172	— major	larger-(flowered)	...	...	...	...	...	...	...	4
173	filiformis (Cosmadium)	thread-leaved	...	...	...	...	w.	1½	...	6
174	sp. ex Texas	Texian species	...	...	...	...	y.	...	...	6



<i>A — indicales a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
175	<i>Calyxhymènia chilensis</i>	<i>Chilian</i>	3	25	120	hhA	r.	1½	7-9	6
176	<i>Campánula carpatíca</i>	<i>Carpathian</i>	5	...	78	hPt	l. b.	¾	6-8	3
177	<i>carpatíca alba</i>	<i>— white</i>	...	...	...	...	w.	...	...	3
178	<i>grandiflora</i>	<i>large-flowered</i>	...	...	...	...	b.	1	...	6
179	<i>grandis</i>	<i>lall</i>	...	...	...	...	l. b.	2	...	3
180	<i>Lôrei*</i>	<i>Lore's</i>	...	...	...	hA	b.	1	7-8	3
181	<i>— alba*</i>	<i>— white</i>	...	...	...	...	w.	...	...	3
182	<i>nobilis</i>	<i>noble</i>	...	...	...	hPt	l. p.	2	6-8	4
183	<i>— alba</i>	<i>— white</i>	...	...	...	...	w.	...	...	4
184	<i>pentagônia*</i>	<i>five-angled</i>	...	...	...	hA	p.	¾	7-8	3
185	<i>— alba*</i>	<i>— white</i>	...	...	...	...	w.	...	...	3
186	<i>pulcherrima</i>	<i>most beautiful</i>	...	...	...	hPt	b.	1½	6-8	4
187	<i>pyramidalis</i>	<i>pyramidal</i>	...	...	...	gP	...	3	...	3
188	<i>— alba</i>	<i>— white</i>	...	...	...	...	w	...	...	3
189	<i>Trachelium</i>	<i>(Throat-wort)</i>	...	...	...	hPt	b.	2½	...	3
190	<i>— album plènum</i>	<i>— double white</i>	...	...	...	...	w	...	...	4
191	<i>Vidalli</i>	<i>Vidalli's</i>	...	...	...	gP	b.	1½	...	4
192	<i>Canna coccinea</i>	<i>scarlet</i>	1	...	116	sPb	s.	2	1-12	6
193	<i>indica</i>	<i>Indian</i>	...	...	...	...	div.	...	...	3
194	<i>lutea</i>	<i>yellow</i>	...	...	...	...	y.	...	...	6
195	<i>Warscewicii</i>	<i>Warscewic's</i>	...	...	...	...	s.	...	1	0
196	<i>Cardiospermum, sp. Texas**</i>	<i>Texian species</i>	8	28	161	sA	w. & g.	5	7-9	6
197	<i>halicacabum**</i>	<i>(Balloon-creeper)</i>	...	...	...	...	w.	...	...	3
198	<i>Carthamus tinctorius</i>	<i>Dyer's</i>	19	53	84	hA	o.	6	7-8	3
199	<i>Catananche lutea</i>	<i>yellow</i>	...	...	...	...	y.	1	...	3
200	<i>cærulea</i>	<i>blue</i>	...	...	...	hPt	b.	2	...	3
201	<i>— bicolor</i>	<i>two-coloured</i>	...	...	...	...	b. & w.	...	...	3
202	<i>Celsia crética</i>	<i>Cretan</i>	14	59	143	hB+	y. & p.	6	...	3
203	<i>incarnata</i>	<i>flesh-coloured</i>	...	...	...	hhPt	flsh.	2	...	3
204	<i>Cènia turbinata</i>	<i>turbinated</i>	19	54	84	hA	w.	½	...	3
205	<i>turbinata flava</i>	<i>— yellow</i>	...	...	...	...	y.	...	...	3
206	<i>Centaurea americana</i>	<i>American</i>	...	55	...	gA	r.	2½	8-10	6
207	<i>cœlolèpis</i>	<i>hollow-sealed</i>	...	...	...	hPt	div.	1½	7-8	3
208	<i>Crocodylium</i>	<i>Crocodylium</i>	...	...	...	hA	flsh.	2	...	3
209	<i>depressa*</i>	<i>(dwarf)</i>	...	...	...	...	b.	1	...	3
210	<i>involverata</i>	<i>involute</i>	...	...	...	...	y.	1½	...	3
211	<i>speciosa</i>	<i>showy</i>	...	...	...	hB	pur.	...	...	6
212	<i>Centauridium Drummondii</i>	<i>Mr. Drummond's</i>	...	...	...	hhA	y.	2	...	6
213	<i>Centranthus macrosiphon</i>	<i>long-tubed</i>	1	25	155	hA	r.	1	7-9	3
214	<i>macrosiphon carneus</i>	<i>flesh-coloured</i>	...	...	...	...	flsh.	...	...	3
215	<i>Chænostoma fastigiatum*</i>	<i>bundle-flowered</i>	14	59	143	hhA	ro.	¾	7-8	4
216	<i>polyanthum*</i>	<i>many-flowered</i>	...	...	...	...	li.	...	...	4
217	<i>viscosum*</i>	<i>viscous</i>	...	...	...	...	pk.	...	...	4
218	<i>Chelone barbata</i>	<i>(bearded)</i>	...	...	...	hPt	s.	2	7-9	3
219	<i>Cineraria malvæfolia</i>	<i>Mallow-leaved</i>	19	54	84	gPt	y.	...	...	6
220	<i>malvæfolia alba</i>	<i>— white</i>	...	...	...	...	w.	...	...	6
221	<i>lobata</i>	<i>lobed</i>	...	...	...	...	y.	...	...	6
222	<i>cruenta hybrida</i>	<i>hybrid (splendid)</i>	...	...	...	gS	div.	...	5-7	10
223	<i>— cærulea</i>	<i>— blue</i>	...	...	...	...	b.	...	...	10
224	<i>— — alba</i>	<i>— blue and white</i>	...	...	...	...	b. & w.	...	...	10
225	<i>— rubra</i>	<i>— red</i>	...	...	...	...	r.	...	...	10
226	<i>— — alba</i>	<i>— red and white</i>	...	...	...	...	r. & w.	...	...	10
227	<i>Cirsium pulcherrimum</i>	<i>most beautiful</i>	...	53	...	hP	p.	4	7-8	6
228	<i>Cistus laurifolius</i>	<i>laurel-leaved</i>	13	25	81	fPt	w.	3	6-8	6
229	<i>Cladanthus arabicus</i>	<i>Arabian</i>	19	54	84	hA	y.	1½	...	3
230	<i>Clarkia elegans</i>	<i>elegant</i>	8	25	124	...	li.	...	6-10	3
231	<i>— elegans flore-plèno</i>	<i>— double-flowered</i>	...	...	...	...	...	...	...	3
232	<i>— marmorata</i>	<i>— marbled</i>	...	...	...	...	mar.	...	...	3
233	<i>— rosea</i>	<i>— rose-coloured</i>	...	...	...	...	ro.	...	...	3
234	<i>— flore-plèno</i>	<i>— — double</i>	...	...	...	...	...	...	...	3
235	<i>— violacea fl. pl.</i>	<i>— violet, double</i>	...	...	...	...	v.	...	...	3
236	<i>pulchella</i>	<i>pretty</i>	...	...	...	...	ro.	1½	...	3
237	<i>— alba</i>	<i>— white</i>	...	...	...	...	w.	...	...	3
238	<i>— sinbriata</i>	<i>— fringed</i>	...	...	...	...	...	...	...	3
239	<i>— grandiflora</i>	<i>— large-flowered</i>	...	...	...	...	r.	...	...	3
240	<i>Clèone pentaphylla</i>	<i>five-leaved</i>	15	61	79	hhA	w.	2	7-8	4
241	<i>rosea</i>	<i>rose-coloured</i>	...	...	...	...	ro.	...	...	4
242	<i>speciosissima</i>	<i>most showy</i>	...	...	...	...	p.	...	...	4

A — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)			Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
243	Clintonia elegans	elegant	5	25	113	hhA	b.	1½	7-8	3
244	pulchella	pretty	...	...	...	...	3 col.	1	...	6
245	— alba	— while	...	...	...	...	w.	...	...	6
246	— atrovioleacea	dark violet	...	...	...	...	d. v.	...	...	6
247	Cobæa scandens**	climbing	...	...	82	gS	p.	30	6-9	6
248	Collinsia bartsiaefolia	Bartsia-leaved	14	59	143	hA	...	¾	6-8	3
249	bicolor	two-coloured	...	...	...	...	pk. & w.	1½	...	3
250	— atrorubens	— dark red	...	...	...	...	r. & w.	...	...	3
251	— heterophylla	— various-leaved	...	...	...	...	p. & w.	...	...	3
252	grandiflora	large-flowered	...	...	...	...	p. & b.	1	...	3
253	multicolor	many-coloured	...	...	...	...	div.	...	...	3
254	Collomia coccinea	scarlet	5	25	130	...	s.	...	7-8	3
255	Commelina cælestis	sky-blue	3	...	83	fPb	b.	1½	...	3
256	cælestis alba	white	...	...	...	...	w.	...	...	3
257	— variegata	variegated	...	...	...	...	var.	...	...	6
258	Convallaria multiflora	many-flowered	6	...	162	hPb	w.	¾	5-8	6
259	Corydalis aurea	golden	17	41	98	hB+	y.	1	5-7	3
260	Cosmanthus fimbriatus	fringed	5	25	103	hA	b. & w.	¾	6-8	3
261	Cosmea bipinnata	two-winged	19	55	84	hhA	p.	2	8-10	3
262	grandiflora	large-flowered	...	...	...	...	d. p.	...	...	6
263	Cremocéphalum cernuum	nodding	...	54	...	hA	p.	1	7-8	6
264	Crœcus vernus	vernal	3	25	105	hPb	div.	½	3-4	6
265	Crucianella stylösa	long-styled	4	...	147	hP+	pk.	1	6-8	3
266	Cuphea Donkelaarrii	Donkelaar's	11	...	114	fB+	cr. & bl.	1½	7-9	4
267	platycentra	broad-centred	...	...	...	...	r. & y.	1¼	...	4
268	miniata	earmine	...	...	...	...	ver.	...	...	4
269	purpurea	purple and varieties	...	...	...	hhA	div.	1½	...	4
270	— kermesina	— crimson	...	...	...	...	cr.	...	...	4
271	silcnoides	Silene-like	...	...	...	...	flsh.	...	...	4
272	speciosa	showy	...	...	...	...	s.	...	...	4
273	strigillosa	strigillose	...	...	...	fB+	s. & y.	...	...	4
274	Cyclamen europæum	European	5	...	134	hPb	r. & w.	½	6-9	6
275	Cynoglossum Haynii	Hayne's	...	...	74	hP	w.	1	7-10	3
276	Dahlia Cervantesii	Cervantes's	19	54	84	hhP+	s.	3	7-9	6
277	— astringens	Astringens-flowered	...	...	...	hhA	p.	1½	...	6
278	— alba	— white	...	...	...	...	w.	...	...	6
279	variabilis, fl. pl.	(finest double)	...	...	...	hhPb	div.	3	7-10	6
280	repens	creeping	...	...	...	hhA	p.	1	7-9	6
281	Datura ceratocaula	horn-stalked	5	25	146	...	w. & ro.	3	7-8	3
282	fastuosa	showy	...	...	...	...	p.	2	...	3
283	— alba	— white	...	...	...	...	w.	...	...	3
284	Delphinium amœnum	lovely (Larkspur)	13	28	136	hP+	l. b.	...	7-9	3
285	cardiopetalum	heart-petaled	...	...	...	hA	b.	1	7-8	3
286	cheilanthum	lip-flowered	...	...	...	hP+	d. b.	1½	7-9	6
287	chinense	Chinese	...	...	...	...	s. b.	1¼	...	3
288	— albidiflorum	— white-flowered	...	...	...	...	w.	...	...	3
289	— albo-marginatum	— white-margined	...	...	...	...	w. & b.	...	...	4
290	— flore-pleno	— double-flowered	...	...	...	...	div.	...	...	4
291	— pictum	— painted	...	...	...	...	var.	...	...	3
292	— striatum	— striped	...	...	...	...	stri.	...	...	4
293	— tricolor	— three-coloured	...	...	...	...	3 col.	...	...	3
294	Donkelaarrii	Donkelaar's	...	...	...	...	b.	2	...	4
295	elatum	tall	...	...	...	...	...	3	...	3
296	— flore-pleno	— double	...	...	...	...	l. b.	...	...	4
297	— mesoleucum	— white-centred	...	...	...	...	w. & b.	...	...	3
298	grandiflorum	large-flowered	...	...	...	...	b.	1¼	...	3
299	ochroleucum	yellowish-white	...	...	...	...	w.	2	...	3
300	punicum	crimson	...	...	...	...	cr.	...	...	4
301	Salvatorii	Salvadori's	...	...	...	...	b. ?	...	...	4
302	splendens	splendid	...	...	...	...	l. b.	...	...	4
303	Towardii	Toward's	...	...	...	...	b.	...	...	4
304	triste	mournful	...	...	...	...	d. p.	...	...	3
305	venustum	beautiful	...	...	...	...	b. ?	...	...	4
306	Wheeleri	Mr. Wheeler's	...	...	...	...	s. b.	...	...	4
307	Dianthus atrovaccinus	dark scarlet (Pink)	10	26	145	...	s.	1	6-9	4
308	atrorubens	dark red	...	...	...	...	d. r.	...	...	4
309	— roseus	— rose-coloured	...	...	...	...	ro.	...	...	4
310	— violaceus	— violet	...	...	...	...	v.	...	...	4



*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)

No.			Ci.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
			L.	L.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
311	Dianthus barbatus pl. var.	(Sweet William)	10	26	145	hP	div.	1½	6-9	3
312	barbatus coccineus	— scarlet	...	...	...	...	s.	...	...	3
313	— flore-pleno	— double-flowered	...	...	...	...	div.	...	...	3
314	— kermesinus superbus	— superb crimson	...	...	...	...	cr.	...	...	6
315	— striatus	— striped	...	...	...	...	stri.	...	...	6
316	Carthusianorum	Carthusians' (Pink)	...	...	...	...	r.	...	...	3
317	Caryophyllus	(Carnation)	...	...	...	...	div.	2	...	3
318	— flore-pleno	— double-flowered	...	...	...	...	...	...	...	1 0
319	— bicolor	— (Flakes)	...	...	...	hhP†	...	...	...	2 6
320	— variegatus	— (Bizarres)	...	...	...	...	...	...	...	2 6
321	— concolor	— (selfs)	...	...	...	...	...	...	...	2 6
322	— phantasia	— Fancy	...	...	...	...	...	...	...	2 6
323	— flavo-striatus	— striped yellow	...	...	...	...	stri.	...	...	2 6
324	— semperflorens	— Perpetuals, new	...	...	...	...	div.	5-10	...	2 6
325	— bicolor	— (Flakes)	...	...	...	...	...	...	...	2 6
326	— variegatus	— (Bizarres)	...	...	...	...	...	...	...	2 6
327	— concolor	— (selfs)	...	...	...	...	...	...	...	2 6
328	— kermesinus	— crimson	...	...	...	...	cr.	...	...	2 6
329	— purpureus	— purple	...	...	...	...	p.	...	...	2 6
330	— roseus	— rose-coloured	...	...	...	...	ro.	...	...	2 6
331	— punctatus fl. pl.	(Picotee) fine double	...	...	...	hP	div.	...	...	1 0
332	— albus	— white (grounds)	...	...	...	hhP	...	...	...	2 6
333	— flavus	— yellow do.	...	...	...	...	...	...	...	2 6
334	chinensis fl. pl.*	(Indian Pink 20 var.)	...	...	...	hB†	...	¾	6-9	4
335	— albo-plenus	— double white	...	...	...	...	w.	...	...	4
336	— hybridus	— hybrid	...	...	...	...	div.	...	...	4
337	— imperialis, fl. pl.	— Imperial, double	...	...	...	...	...	...	...	4
338	— nanus	— dwarf	...	...	...	...	cop.	¾	...	4
339	— striatiflorus	— striped-flowered	...	...	...	...	stri.	¾	...	6
340	deltoides, 2 var.	(Maiden Mountain)	...	...	...	hP†	r. & w.	...	...	3
341	Garnierianus fl. pl.	Miss Garnier's	...	...	...	...	div.	1	...	1 0
342	giganteus	gigantic	...	...	...	...	r.	3	...	3
343	hispanicus pl. var.*	Spanish, mixed	...	...	...	...	div.	1	...	3
344	— splendens*	— splendid	...	...	...	...	s.	...	...	4
345	japonicus*	Japan	...	...	...	...	cr.	...	...	4
346	moschatius	(Garden Pink)	...	...	...	hP	w. & r.	...	...	3
347	— flore-pleno	— double	...	...	...	...	div.	...	...	1 0
348	plumarius	feathered	...	...	...	...	...	1½	...	3
349	pulchellus	pretty	...	...	...	hP†	...	1	...	3
350	superbus	superb	...	...	...	...	li.	1½	...	3
351	Didiscus ceruleus	blue (Trachymène)	5	...	153	hhA	b.	2	7-8	6
352	Digitalis aurea	golden (Foxglove)	14	59	143	hP	y.	1½	6-9	3
353	ferruginea	ferruginous	...	...	...	...	cop.	...	...	3
354	grandiflora	large-flowered	...	...	...	...	y.	...	...	3
355	purpurea	purple	...	...	...	...	p.	3	...	3
356	— alba	white	...	...	...	...	w.	...	...	3
357	— punctata	spotted	...	...	...	...	spot.	...	...	3
358	Winterli	Winterl's	...	...	...	...	br.	1½	...	3
359	Dodecatheon Meadia	(American Cowslip)	5	25	134	hhP	div.	1	6-8	6
360	Dracocéphalum arguense	Argun	14	58	107	hP†	b.	1½	7-9	4
361	canarinense	(Balm of Gilead)	...	...	...	hhP†	r. & p.	...	...	4
362	superbum	superb	...	...	...	...	b.	...	...	4
363	Dracopis amplexicaulis	stem-clasping	19	55	84	hA	y.	2	7-8	3
364	Erinus alpinus	alpine	14	59	143	hP†	li.	¾	4-6	3
365	Erysimum Perofskianum	Perofski's	15	61	88	hA	o.	1	6-9	3
366	Barbarea variegata	variegated (leaved)	...	...	...	hP†	y.	1½	...	3
367	Eschscholtzia californica	Californian	13	25	126	...	...	1½	...	3
368	compacta	compact	...	...	...	...	...	1	...	3
369	crœca	orange	...	...	...	...	o.	1½	...	3
370	— alba	(yellowish white)	...	...	...	...	yh.	...	...	3
371	— alba pura nova	new pure white	...	...	...	...	w.	...	...	1 0
372	tenuifolia	narrow-leaved	...	...	...	...	sul.	¾	...	1 0
373	Ethulia corymbosa	bunch-flowered	19	53	84	hhA	p.	1½	7-8	3
374	Eucharidium concinnum*	neat	8	25	124	hA	...	1	6-8	3
375	grandiflorum*	large-flowered	...	...	...	...	...	...	...	3
376	Euclide bartonioides	Bartonia-like	12	...	112	A	y.	...	...	6
377	Eupatorium Fraseri	Mr. Fraser's	19	53	84	hP	w.	...	7-8	6
378	Euphorbia variegata	variegated	11	28	94	hhA	va. lf.	...	...	6

<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)		L.	O.	N.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	s. d.
379	Eutoca multiflora	many-flowered	5	25	103	hA	lav.	1	7-8	3
380	viscida	viscid	...	...	...	...	b.	...	...	3
381	Wrangeliana	Dr. Wrangel's	...	...	...	...	li.	...	...	3
382	Francosa ramosa	branching	8	29	97	gP	w.	1½	7-9	6
383	souchifolia	Cacalia-leaved	...	...	...	...	rö. p.	...	...	6
384	Gallardia bicolor	two-coloured	19	55	84	hP+	y. & br.	...	...	4
385	picta	painted	...	...	...	hhP+	y. & s.	...	...	4
386	— coccinea	— scarlet	...	...	...	...	s.	...	...	4
387	— Josephus	— Josephus	...	...	...	...	o.	...	...	4
388	— idana	— dwarf	...	...	...	...	s.	1	...	4
389	— splendidissima	— most splendid	...	...	...	...	s. & y.	1½	...	6
390	Wellsiana	Wells's	...	...	...	...	y. & r.	...	...	4
391	Gambelopsis Tagetes	Marigold-like	...	54	...	hhA	y.	...	7-8	6
392	Gaura Lindheimeria	Lindheimer's	8	25	124	...	w. & r.	2	...	4
393	Gentiana acanlis	stemless	5	26	99	hP+	b.	1½	4-7	3
394	asclepiadea	Asclepias-like	...	...	...	...	...	1	6-7	3
395	hybrida	hybrid	...	...	...	...	y. & p.	2½	...	3
396	macrophylla	long-leaved	...	...	...	...	b.	1	...	3
397	Oeranium Endresii	Mr. Endres's ?	16	46	100	...	ro.	...	6-9	3
398	ibericum	Iberian	...	...	...	...	b.	...	6-7	6
399	Gesneria pl. sp.	splendid (mixed)	14	59	101	sPb	div.	1½	6-9	1 0
400	Gemm coccineum	scarlet	12	35	138	hP+	s.	...	...	3
401	coccineum fl. pl.	— double	...	...	...	...	...	...	...	4
402	— superbum	— superb	...	...	...	...	o. s.	...	...	4
403	Gilia achilleaefolia	Milfoil-leaved.	5	25	130	hA	b.	1	...	4
404	capitata	bunch-flowered 2 var	...	...	...	...	b. & w.	1½	6-8	3
405	nivalis*	snow-white	...	...	...	...	w.	...	...	3
406	tricolor*	three-coloured	...	...	...	...	3 col.	...	...	3
407	— albo-gærulca*	white and blue	...	...	...	...	w. & b.	...	...	3
408	— rosea*	rose-coloured	...	...	...	...	rö.	...	...	3
409	Gladolus hybridus	hybrid (splendid)	3	...	105	fPb	div.	2	7-10	3
410	Gloxinia pl. sp. et var.	(splendid mixed)	14	59	101	sPb	...	1	6-9	1 0
411	Godetia bifrons	two-fronted	8	25	124	hA	p. & c.	1½	7-9	1 0
412	insignis	beautiful	...	...	...	...	spot.	...	...	3
413	Lindleyana	Dr. Lindley's	...	...	...	...	w. & r.	...	...	3
414	purpurea	purple	...	...	...	...	p.	...	...	3
415	Romanzovii	Romanzow's	...	...	...	...	l. p.	...	...	3
416	quadrivulvea	four-spotted	...	...	...	...	spot.	...	...	3
417	roseo-alba	rose and white	...	...	...	...	ro. & w.	...	...	3
418	rubicunda	blushing	...	...	...	...	cr.	...	...	3
419	tenella	tender	...	...	...	...	p.	...	...	3
420	violacea	wine-coloured	...	...	...	...	cr. p.	...	...	3
421	Willdenovii	Willdenow's	...	...	...	...	p.	...	...	3
422	Grammanthes gentianoides	Gentian-like	5	30	87	hhA	s.	4	6-8	6
423	gentianoides erodea	orange	...	...	...	...	o.	...	...	6
424	Gymnopsis miserialis	single-serial	19	56	84	sS	y.	2	8-10	6
425	Gypsophila elegans	elegant	10	26	145	hA	w.	1	7-8	3
426	Helianthemum apenninum	Apennine	13	25	81	hP+	...	½	5-7	3
427	guttatum	spotted	...	...	...	hA	y.	...	7-8	3
428	Helianthus argophyllus	silvery-leaved	19	55	84	hliA	y. & br.	2½	7-9	1 0
429	Helichrysum brachyrhynchum	narrow-keeled	...	54	...	...	w.	2	...	6
430	bracteatum	bracteated	...	...	...	...	y.	...	...	3
431	— album	white	...	...	...	...	w.	...	...	3
432	— albo-flavum	white and yellow	...	...	...	...	w. & y.	...	...	4
433	— flore-pleno	double-flowered	...	...	...	...	div.	...	...	4
434	— purpureum	purple	...	...	...	...	p.	...	...	4
435	capitatum	(bunch-flowered)	...	...	...	...	var. ?	...	...	6
436	macranthum aureum	golden	...	...	...	...	y.	...	...	3
437	— albo-roseum	white and rose	...	...	...	...	w. & rö.	...	...	4
438	— rubro-album	red and white	...	...	...	...	r. & w.	...	...	4
439	monströsum pl. var.	monstrous (mixed)	...	...	...	...	div.	...	...	6
440	— album	white	...	...	...	...	w.	...	...	4
441	— sulphureum	sulphur	...	...	...	...	sul.	...	...	4
442	— violaceum	violet	...	...	...	...	v.	...	...	4
443	robustum pl. var.	robust (mixed)	...	...	...	...	div.	...	...	4
444	— fulvum	tawny	...	...	...	...	buff.	...	...	4
445	— moricolor	mulberry-coloured	...	...	...	...	br. p.	...	...	3
446	Helioiphila araboides*	Arabis-like	16	61	88	...	b.	1	7-8	4

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)

<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)		L. C.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
447	<i>Heliophila pilosa</i>	<i>hairy.</i>	15	61	88	hhA	b.	1	7-8	4
448	<i>trifida</i>	<i>trifid</i>	...	...	...	...	p.	...	...	4
449	<i>Helleborus foetidus</i>	( <i>Bear's-foot</i> )	13	35	136	hP	w. & g.	1½	2-5	3
450	<i>Hibiscus africanus</i>	<i>African</i>	16	48	115	hA	y. & br.	2	7-8	3
451	<i>calisarcus</i>	( <i>beautiful</i> )	...	...	...	...	y. & d.	...	...	3
452	<i>Humboldtii</i>	<i>Von Humboldt's</i>	...	...	...	...	...	...	...	3
453	<i>esculentus</i>	<i>esculent</i>	...	...	...	sA	y.	4	6-7	6
454	<i>militaris</i>	( <i>armed</i> )	...	...	...	gP+	p.	2	8-9	6
455	<i>palustris</i>	<i>marsh</i>	...	...	...	hP+	pk.	3	7-8	4
456	<i>— albus</i>	<i>white</i>	...	...	...	...	w.	...	...	4
457	<i>Humea elegans</i>	<i>elegant</i>	19	53	84	hhB+	r.	5	6-9	6
458	<i>Hyacinthus orientalis</i>	<i>oriental</i>	6	25	109	hPb	div.	1	5-7	6
459	<i>Hyemenoxis californica</i>	<i>Californian</i>	19	54	84	hhA	y.	...	7-8	4
460	<i>Ilypericum elegans</i>	<i>elegant</i>	18	48	104	hP+	...	1½	...	4
461	<i>Iberis Tenoreana</i>	<i>Tenore's</i>	15	60	88	...	p	1	6-8	4
462	<i>Ipomoea bona-nox**</i>	<i>Good-Night!</i>	5	25	86	sA	w.	12	6-9	4
463	<i>chrysoides**</i>	<i>golden</i>	...	...	...	sP+	y.	6	...	1 0
464	<i>coccinea**</i>	<i>scarlet</i>	...	...	...	gA	s.	...	...	3
465	<i>Ferrandiana**</i>	<i>Ferrandi's</i>	...	...	...	hhA	b.	10	...	6
466	<i>ficifolia**</i>	<i>fig-leaved</i>	...	...	...	sPb+	p.	6	...	1 0
467	<i>grandiflora**</i>	<i>large-flowered</i>	...	...	...	sS+	w.	10	...	1 0
468	<i>Hardingii**</i>	<i>Lord Hardinge's</i>	...	...	...	...	li. & c.	...	...	1 0
469	<i>limbata**</i>	<i>bordered</i>	...	...	...	sA	s. & o.	...	...	1 0
470	<i>lutcola**</i>	<i>yellow</i>	...	...	...	gA	y.	6	...	3
471	<i>Nil**</i>	<i>Nil</i>	...	...	...	hhA	b.	10	...	3
472	<i>polyanthes**</i>	<i>many-flowered</i>	...	...	...	sS+	y.	12	...	1 0
473	<i>purpurea**</i>	<i>purple</i>	...	...	...	hhA	p.	10	...	3
474	<i>— Burridgeii**</i>	<i>Mr. Burridge's</i>	...	...	...	...	er.	...	...	3
475	<i>— Dicksonii**</i>	<i>Mr. Dickson's</i>	...	...	...	...	b.	...	...	3
476	<i>Quamoclit**</i>	<i>Quamoclit</i>	...	...	...	gA	s.	6	...	4
477	<i>— alba**</i>	<i>— white</i>	...	...	...	...	w.	...	...	4
478	<i>rubro-cerulea**</i>	( <i>sky-blue</i> )	...	...	...	goraA	s. b.	10	...	1 0
479	<i>— albiflora**</i>	<i>— white</i>	...	...	...	...	w.	...	...	1 0
480	<i>Schlechtendalii**</i>	<i>Schlechtendal's</i>	...	...	...	...	p. & w.	...	...	1 0
481	<i>Sellowii**</i>	<i>Mr. Sellow's</i>	...	...	...	...	s.	...	...	1 0
482	<i>tyrianthina**</i>	<i>tyrianthine</i>	...	...	...	sPb	d. p.	...	...	1 0
483	<i>sp. ex Texas**</i>	<i>Texian species</i>	...	...	...	sS	p.	...	...	6
484	<i>3 sp. ex India**</i>	<i>3 Indian species</i>	...	...	...	...	div.	...	...	1 0
485	<i>Ipomopsis Beyrichii</i>	<i>Beyrich's</i>	...	...	130	fP+	l. s.	2	7-9	4
486	<i>elegans</i>	<i>elegant</i>	...	...	...	...	s.	1½	...	4
487	<i>picta</i>	<i>painted</i>	...	...	...	...	spot.	2	...	4
488	<i>— aurantiaca</i>	<i>— orange</i>	...	...	...	...	o.	...	...	4
489	<i>superba</i>	<i>superb</i>	...	...	...	...	s.	...	...	4
490	<i>Iris xiphoides</i>	( <i>English Iris</i> )	3	...	105	hPb	div.	...	6-7	6
491	<i>Isotoma axillaris</i>	<i>axillary</i>	5	...	113	gP+	b.	1½	6-8	4
492	<i>petrea</i>	<i>rock</i>	...	...	...	...	w.	...	...	4
493	<i>Ixia maculata</i>	<i>spotted</i>	3	...	105	fPb	div.	1	5-7	6
494	<i>Jacquemontia violacea**</i>	<i>violet</i>	5	...	86	sPb	v.	8	6-9	1 0
495	<i>Kaulfussia amelloides*</i>	<i>Amellus-like</i>	19	54	84	hA	b.	½	7-8	3
496	<i>Lasthenia californica</i>	<i>Californian</i>	...	...	...	...	y.	1	...	3
497	<i>glabrata</i>	<i>smooth</i>	...	...	...	...	...	...	...	3
498	<i>Lathyrus latifolius**</i>	( <i>Everlasting Pea</i> )	17	45	108	hP+	ro.	6	7-9	3
499	<i>latifolius albus**</i>	<i>— white</i>	...	...	...	...	w.	...	...	3
500	<i>— purpureus novus**</i>	<i>— new purple</i>	...	...	...	...	p.	...	...	3
501	<i>rotundifolius</i>	<i>round-leaved</i>	...	...	...	...	...	2	...	4
502	<i>Lavatera arborea</i>	<i>tree</i>	16	48	115	hB+	...	6	6-8	4
503	<i>Leptosiphon aureus</i>	<i>golden</i>	5	25	130	hA	l. y.	¾	7-8	1 0
504	<i>androsaceus</i>	<i>Androsace-like</i>	...	...	...	...	div.	1½	...	3
505	<i>— lilacinus</i>	<i>lilac.</i>	...	...	...	...	li.	...	...	3
506	<i>— albus</i>	<i>white</i>	...	...	...	...	w.	...	...	3
507	<i>densiflorus*</i>	<i>thick-flowered</i>	...	...	...	...	p.	1	...	3
508	<i>luteus*</i>	<i>yellow</i>	...	...	...	...	y.	...	...	6
509	<i>Leucopsidium arkansanum</i>	<i>Arkansas</i>	19	54	84	hhA	w.	1½	7-9	6
510	<i>Ligularia speciosa</i>	<i>showy</i>	...	...	...	hP	y.	2	...	4
511	<i>Lilium speciosum, 6 var.</i>	<i>splendid</i>	6	25	109	hPb	div.	3	...	1 0
512	<i>canadense</i>	<i>Canadian</i>	...	...	...	...	o.	1½	6-9	6
513	<i>Martagon</i>	<i>Martagon</i>	...	...	...	...	div.	2	...	6
514	<i>sp. ex Texas</i>	<i>Texian species</i>	...	...	...	...	p. & w.	...	...	1 0



*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)

No.		Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
515	Limnanthes Douglàsii	Mr. Douglas's	10	25	110	hA	w. & y.	7-8	3
516	Douglàsii alba	white	...	...	...	w.	...	...	4
517	— rosea	rose	...	...	...	ro.	...	...	4
518	grandiflora	large-flowered	...	...	...	w. & y.	...	...	3
519	Limnócharis Humboldtii	Von Humboldt's	13	35	159	sB	y.	5-7	1 0
520	Plumieri	Plumier's	...	...	...	...	...	6-10	1 0
521	Linaria macroura	Macroura	14	59	143	hA	...	7-8	3
522	triornithophora	three-birds-bearing	...	...	...	fP†	p.	6-9	6
523	— carnca	flesh-coloured	...	...	...	flsh.	...	...	6
524	Lindheiméria texana	Texian	19	54	84	hA	y.	8-10	6
525	Lindelhöfia spectabilis	showy	...	...	...	...	...	...	6
526	Linum flavum	yellow	5	30	111	fP†	y.	7-8	1 0
527	grandiflorum	large-flowered	...	...	...	hA	b.	...	3
528	— album	white	...	...	...	w.	...	...	3
529	— verum coccineum	true scarlet	...	...	...	hP†	s.	6-9	1 0
530	perenne	perennial	...	...	...	...	b.	7-8	3
531	venosum	veiny	...	...	...	ro.	...	6-8	6
532	Lisianthus Russelliianus	(Duke of Bedford's)	...	25	99	gA	p.	7-9	6
533	Loasa aurantiaca**	orange	18	48	112	hhP†	o.	6-9	4
534	Herbertii**	Hon. Mr. Herbert's	...	...	...	...	s.	...	4
535	Pentlandica**	Mr. Pentland's	...	...	...	...	...	...	4
536	Lobelia azurea	azure	5	25	113	...	b.	...	6
537	cardinalis	cardinal	...	...	...	fP	s.	...	6
538	Chamæpitys	(new dwarf)	...	...	...	...	...	...	6
539	Erinus	Erinus	...	...	...	hhP†	b.	...	3
540	— alba	white	...	...	...	w.	...	...	3
541	— compacta	compact	...	...	...	...	b.	...	6
542	— grandiflora	large-flowered	...	...	...	...	...	...	4
543	— marginata	bordered	...	...	...	w. & b.	...	...	6
544	— rosea	rose-coloured	...	...	...	...	r.	...	3
545	formosa	beautiful	...	...	...	...	b.	...	4
546	gracilis	slender	...	...	...	hA	...	...	3
547	— alba	white	...	...	...	w.	...	...	3
548	heterophylla	various-leaved	...	...	...	hhP†	h.	1½	4
549	pinifolia	pine-leaved	...	...	...	gP†	v.	3	6
550	propinqua	related	...	...	...	hhA	p.	1	4
551	ramosa	branching	...	...	...	hhP†	d. b.	1½	4
552	— alba	white	...	...	...	w.	...	...	4
553	— rubra	red	...	...	...	r.	...	...	4
554	siphilitica	siphilitic	...	...	...	gP	h.	2	6
555	Lötus jacobæus	St. James's Island	17	45	108	gA	blk.	1	4
556	jacobæus flavus	yellow	...	...	...	y.	...	...	4
557	Lupinus affinis	related (Lupine)	16	...	...	hA	b. & w.	7-9	3
558	Hartwegii	M. Hartweg's	...	...	...	...	b. & pk.	1½	3
559	— roseus	rose-coloured	...	...	...	ro.	...	...	6
560	hirsutissimus	most-hairy	...	...	...	r.	...	...	3
561	leptophyllus	slender-leaved	...	...	...	b. & cr.	2	...	3
562	magnificus	magnificent	...	...	...	w. & p.	...	...	6
563	mexicanus	Mexican	...	...	...	b.	1½	...	3
564	Moritzianus	Moritz's	...	...	...	...	...	...	3
565	mutabilis	changeable	...	...	...	var.	3	...	3
566	— Cruickshanksii	Mr. Cruickshanks's	...	...	...	...	...	...	3
567	nanus	dwarf	...	...	...	va. h.	1	...	3
568	pubescens	downy	...	...	...	h.	...	...	3
569	subramosus	sub-branching	...	...	...	li. & p.	...	...	6
570	venustus	beautiful	...	...	...	b. & w.	...	...	6
571	sp. ex California	Californian species	...	...	...	var.	...	...	6
572	sp. ex Texas	Texian species	...	...	...	y.	...	...	6
573	arbores	tree	...	...	...	hP†	div.	6	3
574	elegans	elegant	...	...	...	v. & r.	2	...	3
575	grandifolius	large-leaved	...	...	...	p.	2½	...	3
576	guatemalensis	Guatemala	...	...	...	d. v.	2	...	3
577	hybridus, pl. var.	hybrid, mixed	...	...	...	div.	1½	...	3
578	polyphyllus	many-leaved	...	...	...	b.	3	...	3
579	— albo-purpureus	white and purple	...	...	...	w. & p.	...	...	3
580	— albiflorus	white-flowered	...	...	...	w.	...	...	3
581	Lychnis flos-Jovis	Jove's-flower	10	30	145	...	cr.	1½	3
582	fulgens	glowing	...	...	...	s.	1	...	6

*A*— indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)

No.		L.	O.	N.	H.	Col.	Hght.	M. of	Price.
		L.	O.	N.	H.	Col.	Hght.	M. of	Price.
583	<i>Lychnis chalcédonica</i>	scarlet	10	30	145	hP	s.	2	s. d. 3
584	<i>chalcédonica alba</i>	white	...	...	...	w.	...	...	3
585	— <i>mutabilis</i>	variable	...	...	...	var.	...	...	3
586	<i>Lýthrum Salicària superbum</i>	superb	11	25	114	hP+	ro.	1½	6
587	<i>Madària elegans</i>	elegant	19	56	84	hhA	y.	2½	3
588	<i>eorymbosa</i>	bunch-flowered	...	...	...	l. y.	2	...	3
589	<i>Málope trifida</i>	trifid	16	48	115	hA	r.	1½	3
590	<i>grandiflora</i>	large-flowered	...	...	...	cr.	2	...	3
591	— <i>alba</i>	white	...	...	...	w.	...	...	3
592	<i>Malva miniata</i>	vermilion	...	...	...	hS	ver.	3	3
593	<i>mauritiana zebrina</i>	striped	...	...	...	hA	stri.	2	3
594	<i>moschata</i>	musk-(scented)	...	...	...	hP+	flsh.	...	3
595	<i>Martynia angularis</i>	angular	14	59	144	hhA	l. p.	7-9	4
596	<i>craniolaria</i>	skull-like	...	...	...	w.	...	...	4
597	<i>fragrans</i>	fragrant	...	...	...	d. p.	...	...	4
598	<i>lutea</i>	yellow	...	...	...	y.	...	...	4
599	<i>proboscidea</i>	proboscis-like	...	...	...	l. b.	...	...	4
600	<i>Matricaria eximia</i>	choice	19	54	84	hP+	w.	1½	4
601	<i>Parthenium, fl. pl.</i>	(fine double)	...	...	...	...	...	...	4
602	<i>Melampodium macranthum</i>	large-flowered	...	56	...	hhA	y.	2	6
603	<i>Mesembryanthemum glabrum</i>	smooth	12	27	95	...	...	7-8	4
604	<i>capitatum</i>	head-(flowering)	...	...	...	l. y.	...	...	4
605	<i>pomeridianum</i>	afternoon	...	...	...	y.	...	...	4
606	<i>tricolor</i>	three-coloured	...	...	...	r.	1	...	4
607	— <i>album</i>	white	...	...	...	w.	...	...	4
608	<i>Mimulus cardinalis</i>	Cardinal	14	59	143	hhP+	s.	2	6-9
609	<i>cardinalis erocæus</i>	orange	...	...	...	o.	...	...	4
610	— <i>maculatus</i>	spotted	...	...	...	spot.	...	...	4
611	<i>roseus</i>	rose-coloured	...	...	...	ro.	...	...	4
612	<i>moschatus</i>	musk-(scented)	...	...	...	y.	1	...	4
613	<i>pl. sp. et var.</i>	(splendid mixed)	...	...	...	div.	...	...	3
614	<i>Morina elegans</i>	elegant	2	25	91	gP+	ro.	3	6-8
615	<i>Morina elegans</i>	elegant	19	53	84	hhA	y.	1½	7-8
616	<i>Myosotis palustris</i>	(Forget-me-not)	5	25	74	hP+	b. & y.	4	5-10
617	<i>palustris major</i>	(new large blue)	...	...	...	b.	...	...	4
618	<i>alpestris</i>	alpine	...	...	...	...	1	...	4
619	— <i>alba</i>	white	...	...	...	w.	...	...	4
620	<i>azorica</i>	Azorean	...	...	...	d. b.	...	...	4
621	<i>Nelumbium luteum</i>	yellow	13	35	121	sP	y.	trai	6-9
622	<i>speciosum, &amp;c.</i>	showy, &c.	...	...	...	div.	3	2	6
623	<i>Nemesis floribunda*</i>	bunch-flowered	14	59	143	hhA	w. & y.	1	7-8
624	<i>versicolor*</i>	various-coloured	...	...	...	va.	trai	...	3
625	<i>Nemophila atomaria*</i>	(spotted white)	5	25	103	hA	w.	3	...
626	<i>atomaria celestis*</i>	— sky-blue	...	...	...	s. b.	...	...	3
627	<i>discoidalis*</i>	(black-bordered)	...	...	...	bor.	...	...	3
628	<i>insignis*</i>	beautiful	...	...	...	b.	...	...	3
629	— <i>alba*</i>	— white	...	...	...	w.	...	...	3
630	— <i>grandiflora*</i>	— large-flowered	...	...	...	b.	...	...	3
631	— <i>striata*</i>	— striped	...	...	...	stri.	...	...	3
632	<i>maculata</i>	large-spotted	...	...	...	w. & p.	...	...	3
633	<i>phacelioides</i>	Phacelia-like	...	...	...	hP+	v.	1	...
634	<i>Nierembergia gracilis</i>	slender	...	146	fP+	w. & li.	...	6-9	1 0
635	<i>Nigella hispánica</i>	Spanish	13	30	136	hA	b.	1	7-8
636	<i>Nolana paradoxa</i>	paradoxical	5	25	146	...	va.	...	3
637	<i>atriplicifolia</i>	Atriplex-leaved	...	...	...	b. w. y.	...	...	3
638	— <i>alba grandiflora</i>	large-flowered white	...	...	...	w.	...	...	3
639	<i>prostrata</i>	prostrate	...	...	...	b.	...	...	3
640	<i>Nõnea rosea</i>	rose-coloured	...	74	...	ro.	1½	...	3
641	<i>Nycteria capensis</i>	Cape	14	59	143	fS	w.	3	7-10
642	<i>selaginoides</i>	Selago-like	...	...	...	pk.	...	...	4
643	<i>villosa</i>	villous	...	...	...	w.	...	...	4
644	<i>Nymphæa alba</i>	white	13	25	121	hP	...	trai	6-9
645	<i>cærulea</i>	blue	...	...	...	sP	b.	...	1 0
646	<i>cyanea</i>	sky-blue	...	...	...	s. b.	...	...	1 0
647	<i>dentata vera</i>	dentated	...	...	...	p.	...	...	1 0
648	<i>esculenta</i>	esculent	...	...	...	w.	...	...	1 0
649	<i>gigantea (nova)</i>	gigantic (new)	...	...	...	p.	...	...	5 0
650	<i>gracilis</i>	slender	...	...	...	w.	...	...	1 0

*A*—indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)

A—indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)			Cl.	L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.											s. d.	
651	Nymphaea	Lôtus	Lotus	13	25	121	sP	w.	feet	trai	6-9	1 0
652		Ortgiesiàna	Ortgiesion	...	...	...	g <sup>P</sup>	p.	...	...	...	1 0
653		rùbra	red	...	...	...	sP	r.	...	...	...	1 0
654		stellàta	starry	...	...	...	...	b.	...	...	...	1 0
655		thermàlis	thermol	...	...	...	...	w.	...	...	...	1 0
656	Enothèra	acaulis	stainless	8	...	124	hP+	...	...	7-8	3	
657		concinna	neat	...	...	...	hA	l. ro.	1	...	...	3
658		densiflòra	thick-flowered	...	...	...	...	p.	...	...	...	3
659	Drummondii		Mr. Drummond's	...	...	...	fP+	y.	...	...	...	3
660		macrocarpa	large-fruited	...	...	...	...	...	2	...	...	6
661		odoràta	sweet-scented	...	...	...	hP+	...	1½	...	...	3
662		prostràta	prostrate	...	...	...	hA	w.?	trai	...	...	6
663		rhizocarpa	root-fruited	...	...	...	hP+	y.	1	...	...	3
664		ròsea	rose-coloured	...	...	...	...	ro.	1½	...	...	3
665	Selloviàna		Mr. Sellow's	...	...	...	...	y.	...	...	...	3
666		splendens	splendid	...	...	...	...	...	2	...	...	6
667		taraxacifolia	Toraxacum-leaved	...	...	...	...	w.	½	...	...	3
668		tetraptera	four-winged	...	...	...	hA	...	1	...	...	3
669		sp. ex Texas	Texian species	...	...	...	...	y.	1½	...	...	6
670	Oxalis	carnòsa	fleshy	10	30	125	hhPb	...	1	...	...	6
671		ròsea	rose-coloured	...	...	...	...	ro.	...	...	...	6
672		rubella	light red	...	...	...	...	r.	...	...	...	6
673	Oxyùra	chrysanthemoides	Chrysanthemum-like	19	54	84	hA	y. & w.	...	...	...	3
674	Pæonia	Moutan	(Chinese)	13	26	136	hbS	p.	3	5-8	1 0	
675		Moutan arbòrea	— tree	...	...	...	...	l. r.	...	...	...	1 0
676	—	Banksia	— Banks's	...	...	...	...	p.	...	...	...	1 0
677	—	papaveràcca	— Poppy	...	...	...	...	w.	...	...	...	1 0
678	—	ròsea	— rose-coloured	...	...	...	...	ro.	...	...	...	1 0
679	Palafoxia	texàna	Texian	19	53	84	hhA	br. r.	2	7-8	6	
680	Papaver	cròceum	saffron (Poppy)	13	25	126	hP+	o.	1½	7-9	3	
681		monstròsum	monstrous	...	...	...	hA	w.	2	...	...	3
682		nudicaule	naked-stalked	...	...	...	hP+	y.	...	...	...	3
683		orientàle	Oriental	...	...	...	...	r.	...	...	...	3
684		pulcherrimum	most beautiful	...	...	...	...	s.	3	...	...	3
685	Pelargonium	hybridum	hybrid (Geranium)	16	42	100	gS	div.	...	6-9	1 0	
686		hybridum novum	new hybrid	...	...	...	...	...	...	...	1 0	
687		zonàle	(scarlet)	...	...	...	...	s.	...	...	...	6
688	—	albiflorum	— white var.	...	...	...	...	w.	...	...	...	6
689	—	globòsum	— globular	...	...	...	...	s.	...	...	...	6
690	—	nanum	— (Tom Thumb)	...	...	...	...	...	1	...	...	6
691	—	ròseum	— (Lucy)	...	...	...	...	ro.	1½	...	...	6
692	—	salmòneum	— salmon (new)	...	...	...	...	sal.	...	...	1 0	
693		capitatum	head (flowering)	...	...	...	...	p.	3	...	...	1 0
694	Pentstemon	campanulatum	bell-(flowered)	14	59	143	hP+	b.	2	...	...	3
695		cordifolium	heart-leaved	...	...	...	...	r.	...	...	...	1 0
696		digitalis	Digitalis-(like)	...	...	...	...	w.	...	...	...	3
697		èlegans (Chelòne)	elegant	...	...	...	...	ro.	...	...	...	3
698		Hartwegii	M. Hartweg's	...	...	...	...	...	...	...	...	3
699	—	album	— white	...	...	...	...	w.	...	...	...	6
700	—	coccineum	— scarlet	...	...	...	...	s.	...	...	...	3
701		Mackayànum	Mr. Mackay's	...	...	...	...	va.	...	...	...	3
702		Murrayànum	Mr. Murray's	...	...	...	...	s.	2½	...	1 0	
703		nitidum	shining	...	...	...	...	?	2	...	...	3
704		ovatum	ovale	...	...	...	...	h.	...	...	...	3
705		pulchellum	pretty	...	...	...	...	iv.	...	...	...	3
706		roseum	rose-coloured	...	...	...	...	ro.	...	...	...	3
707		Verplankei	Verplanke's	...	...	...	...	s.	...	...	...	6
708		sp. ex California	Californian species	...	...	...	...	div.	1½	...	...	6
709	Perilla	nankinensis	Nankin	...	58	107	A	p. lf.	...	7-8	6	
710	Petunia	nyctaginiflòra	(sweet-scented)	5	25	146	hhP+	w.	2	6-9	3	
711		phœnicea	purple	...	...	...	...	p.	...	...	...	3
712	—	flore-plèno	— double-flowered	...	...	...	...	r.	...	...	...	6
713	—	grandiflòra	— large-flowered	...	...	...	...	p.	...	...	...	4
714	—	alba	— white	...	...	...	...	w.	...	...	...	4
715	—	ròsea	— rose-coloured	...	...	...	...	ro.	...	...	...	4
716	—	striatà	— striped	...	...	...	...	stri.	...	...	...	4
717	—	viridicincta	— green-bordered	...	...	...	...	div.	...	...	1 0	
718	Phacelia	conspicua	conspicuous	...	...	103	hA	b.	...	7-8	3	



<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N.	H. & Dur.	Col. of Fl.	feet		s. d.
719	Phlox Drummondii	Mr. Drummond's	5	25	130	hhA	div.	1½	7-10	6
720	Drummondii alba	white	...	...	...	...	w.	...	...	6
721	— atrococcinea	dark scarlet	...	...	...	...	d. s.	...	...	6
722	— atropurpurea	dark purple	...	...	...	...	d. p.	...	...	6
723	— Leopoldiana	(King of the Belgians)	...	...	...	...	cr. & w.	...	...	6
724	— oculata alba	white-eyed	...	...	...	...	p. & w.	...	...	6
725	— — purpurea	purple-eyed	...	...	...	...	w. & p.	...	...	6
726	— rosea	rose-coloured	...	...	...	...	ro.	...	...	6
727	30 sp. et var. perennans	perennial	...	...	...	hP+	div.	2½	1 0	0
728	Platystemon californicus	Californian	13	...	126	hA	y.	1	6-9	6
729	Podolepis chrysantha	golden yellow	19	54	84	hhA	...	...	7-8	3
730	gracilis	slender	...	...	...	...	pk.	...	...	3
731	— alba	white	...	...	...	...	w.	...	...	3
732	Podotheca capitata	head-(flowering)	...	53	...	...	y.	...	...	6
733	Portulaca aurea	golden yellow	11	25	133	...	l. y.	¼	6-9	4
734	Gilliesii	Mr. Gillies's	...	...	...	...	ro. p.	...	...	4
735	grandiflora	large-flowered	...	...	...	...	ya.	...	...	4
736	Thellusoni	Mr. Thelluson's	...	...	...	...	cr.	...	...	4
737	— coccinea	scarlet	...	...	...	...	s.	...	...	4
738	— rosea	rose-coloured	...	...	...	...	ro.	...	...	4
739	— striatiflora	striped	...	...	...	...	w. & r.	...	...	4
740	— Thorburni	Mr. Thorburn's	...	...	...	...	y.	...	...	4
741	splendens	splendid	...	...	...	...	ro. p.	...	...	4
742	Potentilla formosa	beautiful	12	35	138	hP+	p.	1	...	3
743	atrosanguinea	dark red	...	...	...	...	d. r.	...	...	3
744	crocea	orange	...	...	...	...	o.	...	...	3
745	Garnieriana	Miss Garnier's	...	...	...	...	y. & r.	...	...	6
746	Hopwoodiana	Mr. Hopwood's	...	...	...	...	ro.	...	...	6
747	insignis	striking	...	...	...	...	y.	...	...	6
748	marginata	bordered	...	...	...	...	bor.	...	...	6
749	Oliveriana	Mr. Oliver's	...	...	...	...	s.	...	...	6
750	puleherrima	most beautiful	...	...	...	...	y.	...	...	3
751	sulphurea	sulphur	...	...	...	...	sul.	...	...	3
752	Thomasii	Mr. Thomas's	...	...	...	...	y.	...	...	3
753	Primula cortusoides	Cortusa-like	5	25	134	...	p.	¾	6-8	6
754	denticulata	denticulated	...	...	...	gP+	li.	¼	...	6
755	nepaulensis	Nepalese	...	...	...	...	r.	½	...	1 0
756	sinepis	Chinese (Primrose)	...	...	...	...	li.	1	10-7	6
757	— alba	— white	...	...	...	...	w.	...	...	6
758	— fimbriata	— fringed	...	...	...	...	ro.	...	1 0	0
759	— — alba	— — white	...	...	...	...	y.	...	1 0	0
760	— — grandiflora	— — large-flowered	...	...	...	...	r.	...	1 0	0
761	— marginata	— (white-bordered)	...	...	...	...	L. & w.	...	2 6	6
762	— striatiflora	— striped-flowered	...	...	...	...	stri.	...	2 6	6
763	— variegata	— variegated	...	...	...	...	va.	...	1 0	0
764	Ramonda pyrenæica	Pyrenean	...	...	146	hhP+	p.	¼	6-8	6
765	Ranunculus asiaticus	Asiatic	13	35	136	hPb	div.	1	6-7	6
766	Reseda myriophylla	myriad-leaved	11	28	137	hP+	w. & y.	2	6-9	6
767	odorata arborea	tree-like	...	...	...	...	buff.	4	7-9	6
768	Rhodanthe Manglesii	Capt. Mangles's	19	53	84	hhA	ro.	1	7-8	6
769	Rudbeckia fulgida	glowing	...	55	...	hP+	y.	3	...	6
770	Sabbatia campestris (stellata)	(starry)	5	25	99	gA	ro. & y.	1	7-9	1 0
771	Salpiglossis sinuata	sinuated	14	59	146	hhP+	div.	1½	...	6
772	sinuata azurea	blue-flowered	...	...	...	...	b.	...	...	4
773	— atropurpurea	dark purple	...	...	...	...	d. p.	...	...	4
774	— coccinea	scarlet	...	...	...	...	s.	...	...	6
775	— sulphurea	sulphur	...	...	...	...	sul.	...	...	4
776	Salvia bicolor	two-coloured	2	25	107	hP+	b. & w.	2	...	3
777	bracteata	bracteated	...	...	...	...	pur.?	3	...	3
778	campestris	field	...	...	...	...	b.	2	...	3
779	— albiflora	white-flowered	...	...	...	...	w.	...	...	3
780	coccinea	scarlet	...	...	...	hhA	s.	...	...	6
781	Forsköhlhii	Forsköhl's	...	...	...	hP+	blk.	1½	...	6
782	glutinosa	glutinous	...	...	...	...	y.	2	...	6
783	patens	(splendid blue)	...	...	...	...	d. b.	3	...	6
784	— alba	white	...	...	...	...	w.	...	...	6
785	splendens	splendid	...	...	...	...	s.	...	...	6
786	Sanvitalia procumbens	procumbent	19	54	81	hhA	y.	trai	7-8	3

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 5.)</i>			Li.	O.	N.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
No.								feet		s. d.
787	Saponaria cakábrica*	Catabrian	10	26	145	hA	r.	6-9	6	6
788	ocymoides	Ocyma-like	...	...	...	hP†	ro.	5-8	6	6
789	Saxifraga, pl. sp.	(finest mixed)	...	...	141	...	div.	5-7	6	6
790	Schizanthus Grahāmi	Mr. Graham's	2	25	143	hhA	s. & o.	7-8	4	4
791	retusus	(blunt-leaved)	...	...	...	...	r. & o.	...	4	4
792	— albus	white	...	...	...	...	w. & y.	...	4	4
793	gracilis	slender	...	...	...	hA	y.	1½	3	3
794	humilis*	dwarf	...	...	...	...	li. & cr.	...	3	3
795	pinnatus	pinnated	...	...	...	...	va.	1½	3	3
796	— Pricstii	Priest's	...	...	...	...	w.	...	3	3
797	— pulchellus	pretty	...	...	...	...	va.	...	3	3
798	— venustus	beautiful	...	...	...	...	p.	...	3	3
799	porrigens	spreading	...	...	...	...	va.	...	3	3
800	Schizopetalon Walkeri	Mr. Walker's	15	61	88	...	w.	½	6	6
801	Scutellaria, pl. sp.	mixed	14	58	107	hP†	div.	1½	6-9	6
802	Scyphanthus elegans**	elegant	18	48	112	hhA	y.	4	7-9	6
803	Sedum caeruleum	blue	10	30	87	hA	b.	½	7-8	3
804	Silene compacta	compael	...	28	145	hB†	pk.	½	7-9	3
805	fimbriata	fringed	...	...	...	hP†	w.	1½	7-8	3
806	orientalis	oriental	...	...	...	...	li.	1	...	3
807	ornata	ornamented	...	...	...	...	p.	...	4	4
808	— alba	white	...	...	...	...	w.	...	4	4
809	pendula	pendulous	...	...	...	hA	ro.	...	3	3
810	— albiflora nova	new white	...	...	...	...	w.	...	3	3
811	Schafta	Schafta	...	...	...	hP†	ro.	½	...	3
812	sibirica	Siberian	...	...	...	...	g. & y.	1½	...	3
813	striata	striped	...	...	...	hA	stri.	...	6	6
814	Solanum citrullifolium	Citrullus-leaved	5	25	146	hhA	b.	2	...	6
815	incertum	uncertain	...	...	...	hA	w.	1½	...	6
816	Sparaxis tricolor	three-coloured	3	...	105	fPb	div.	1	6-7	6
817	Sphenogyne speciosa	showy	19	55	84	hhA	y.	...	7-8	3
818	Stachys coccinea	scarlet	14	58	107	hP†	s.	2	6-9	4
819	purpurea	purple	...	...	...	...	p.	...	4	4
820	— speciosa	showy	...	...	...	...	s.	...	4	4
821	Státice formosa	beautiful	5	30	129	...	pk.	1	7-8	4
822	sinuata	sinuated	...	...	...	hhA	va.	...	6	6
823	Stenactis speciosa	showy	19	54	84	hP†	b.	1½	...	3
824	Stèvia purpurea	purple	...	53	...	...	p.	1	6-9	3
825	serrata	serrated	...	...	...	...	w.	...	3	3
826	Stipa pennata	feathered	3	26	102	...	ap.	2	...	3
827	Streptocarpus Rexii	Rex's	2	25	73	gP†	y.	½	6-8	4
828	Tagetes lucida	shining	19	54	84	...	b.	1	7-8	3
829	signata	striking	...	...	...	hhA	o.	2	...	3
830	Telckia speciosa	showy	...	...	...	hP†	y.	4	...	3
831	Tellina grandiflora	large-flowered	10	26	141	...	stri.	1	4-6	6
832	Tetranema mexicana	Mexican	14	59	143	sA	p. & w.	...	7-9	6
833	Thalia dealbata	whitish-(stalked)	1	25	116	gP	d. b.	4	...	6
834	Thermopsis lupinoides	Lupine-like	10	...	108	hP	y.	1	...	6
835	Thunbergia alata**	winged	14	59	63	gP†	bff. & d.	6	6-9	6
836	alata alba**	— white	...	...	...	...	w. & d.	...	6	6
837	— aurantiaca**	— orange	...	...	...	...	o. & d.	...	6	6
838	— Bakeri**	— Baker's	...	...	...	...	w.	...	6	6
839	— flava**	— yellow	...	...	...	...	y.	...	6	6
840	— mesolcuca**	— white-centred	...	...	...	...	o. & w.	...	6	6
841	— sulphurea**	— sulphur	...	...	...	...	sul.	...	6	6
842	Tigridia caelestis	sky-blue	16	38	105	fPb	b.	1	...	10
843	pavonia	Peacock	...	...	...	...	y. & s.	...	7-9	6
844	— splendida nova	splendid new	...	...	...	...	div.	...	2	6
845	sp. ex Texas	Texian species	...	...	...	...	b.	...	10	6
846	Trachelium caeruleum	blue	5	25	78	hhB	...	2	7-8	3
847	caeruleum album	white	...	...	...	...	w.	...	3	3
848	Trichosanthes colubrina**	snake	21	49	89	fA	...	trai	6-9	10
849	Tropæolum azureum**	azure	8	25	151	gPb	b.	4	7-9	10
850	brachyceras**	short-horned	...	...	...	...	y.	...	6	6
851	Heyniani**	Heyne's	...	...	...	gA	y. r. g.	...	10	6
852	Hockianum**	Hock's	...	...	...	gP	s.	...	10	6
853	Hookeri**	Sir W. J. Hooker's	...	...	...	gA	...	...	10	6
854	Hunnemanni**	Hunnemann's	...	...	...	...	s. & y.	...	10	6

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded. (See page 3.)

No.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
855	<i>Tropæolum Jarrattii</i> **	<i>Mr. Jarratt's</i>	8	25	151	gPb	s. & y.	4	7-9	s. d. 6
856	<i>Lobbiànum</i> **	<i>Mr. Lobb's</i>	...	...	...	gP†	l. s.	3	...	6
857	var. No. 1**	<i>Caroline Schmidt</i>	...	...	...	...	d. s.	...	...	1 0
858	var. No. 2**	<i>Lilli Schmidt</i>	...	...	...	...	s.	...	...	1 0
859	<i>Moritzianum</i> **	<i>Moritz's</i>	...	...	...	...	y. r. g.	4	...	6
860	— <i>ornatum</i> **	<i>ornamented</i>	...	...	...	...	...	...	...	6
861	<i>pentaphyllum</i> **	<i>five-leaved</i>	...	...	...	gPb	o. & y.	...	...	6
862	<i>speciosum</i> **	<i>showy</i>	...	...	...	gP†	car.	...	...	1 0
863	<i>tricolorum</i> **	<i>three-coloured</i>	...	...	...	gPb	3 col.	...	...	1 0
864	var. <i>belgica</i> **	<i>(Triomphe de Liège)</i>	...	...	...	gP†	s.	3	...	1 0
865	<i>maius citrinum</i> **	<i>citron</i>	...	...	...	hA	y.	5	...	4
866	— <i>cinnamomeum</i> **	<i>cinnamon</i>	...	...	...	...	br.	...	...	4
867	— <i>flavum</i> **	<i>yellow</i>	...	...	...	...	y.	...	...	4
868	— <i>Scheuermanni</i> **	<i>Scheuermann's</i>	...	...	...	...	tip†	...	...	6
869	minus	<i>dwarf (true)</i>	...	...	...	...	y.	1	...	3
870	— <i>coccineum</i>	<i>scarlet</i>	...	...	...	...	s.	...	...	4
871	<i>peregrinum</i> **	<i>Canary-Bird</i>	...	...	...	hhA	y.	8	...	3
872	<i>Tulipa Gesneriana</i>	<i>Gesner's</i>	6	...	109	hPb	div.	1½	6-7	6
873	<i>Tweedia caribæa</i> **	<i>blue</i>	5	26	70	hhB†	b.	4	7-9	4
874	<i>floribunda</i> **	<i>many-flowered</i>	...	...	...	...	...	...	...	4
875	<i>Venidium calendulaceum</i>	<i>Calendula-like</i>	19	54	84	hhA	d. y.	1	...	6
876	<i>Veratrum</i> , 3 sp.	<i>3 sp. mixed</i>	23	51	117	hP	div.	3	6-8	6
877	<i>Verbascum versicolor</i>	<i>various-coloured</i>	5	25	146	hP†	va.	2	...	4
878	<i>Verbena Aubletia</i>	<i>Aublet's</i>	14	59	156	hhB†	p.	1	7-9	4
879	<i>Drummondii</i>	<i>Mr. Drummond's</i>	...	...	...	...	li.	...	...	4
880	<i>incisa coccinea</i>	<i>scarlet</i>	...	...	...	...	s.	...	...	1 0
881	<i>Niveni</i>	<i>Niven's</i>	...	...	...	...	w. & pk.	...	...	6
882	<i>pulcherrima</i>	<i>beautiful</i>	...	...	...	...	r.	...	...	4
883	<i>venosa</i>	<i>veiny</i>	...	...	...	...	ro.	...	...	4
884	<i>hybrida</i> , pl. var.	<i>hybrid mixed, ext.</i>	...	...	...	...	div.	...	...	1 0
885	<i>Vinca rosea</i>	<i>rose-coloured</i>	5	25	67	sS	pk.	...	3-9	6
886	<i>roseo-alba</i>	<i>white</i>	...	...	...	...	w.	...	...	6
887	<i>Viola odorata</i>	<i>sweet-scented (Violet)</i>	...	...	157	hP†	v.	½	5-7	3
888	<i>odorata semperflorens</i>	<i>perpetual-flowering</i>	...	...	...	...	...	...	5-10	6
889	— <i>sempervirens alba</i>	<i>white do.</i>	...	...	...	...	w.	...	...	6
890	<i>palmenis</i>	<i>Palma</i>	...	...	...	...	b.	1	6-8	6
891	<i>persicifolia</i>	<i>peach-flowered</i>	...	...	...	...	cream	...	5-8	3
892	<i>pyrolæfolia</i>	<i>Pyrola-leaved</i>	...	...	...	gP	y.	...	6-9	1 0
893	<i>Viscaria cœli-rosæ</i>	<i>(Rose of Heaven)</i>	10	30	145	hA	ro.	...	7-8	3
894	<i>oculata</i>	<i>(dark-eyed)</i>	...	...	...	...	r.	...	...	3
895	<i>Vittadinia lobata</i>	<i>(Australian Daisy)</i>	19	54	84	hhA	w.	...	...	6
896	<i>Wahlenbergia lobelioides</i>	<i>Lobelia-like</i>	5	25	78	hA	b.	½	...	3
897	<i>Whitlavia grandiflora</i>	<i>large-flowered</i>	...	...	103	hhA	...	1	...	1 0
898	<i>Zinnia elegans</i>	<i>elegant</i>	19	54	84	...	v.	2	7-10	4
899	<i>élegans alba</i>	— <i>white</i>	...	...	...	...	w.	...	...	4
900	— <i>aurantiaca</i>	— <i>orange</i>	...	...	...	...	o.	...	...	4
901	— <i>coccinea</i>	— <i>scarlet</i>	...	...	...	...	s.	...	...	4
902	— — <i>major</i>	— <i>large scarlet</i>	...	...	...	...	...	...	...	4
903	— — <i>punctata</i>	— <i>spotted</i>	...	...	...	...	spot.	...	...	4
904	— <i>flava</i>	— <i>yellow</i>	...	...	...	...	y.	...	...	4
905	— <i>kermesina</i>	— <i>crimson</i>	...	...	...	...	cr.	...	...	4
906	— <i>miniata</i>	— <i>earmine</i>	...	...	...	...	c.	...	...	4
907	— <i>purpurea</i>	— <i>purple</i>	...	...	...	...	p.	...	...	4
908	— <i>rosæa</i>	— <i>rose-coloured</i>	...	...	...	...	ro.	...	...	4
909	— <i>striatiflora</i>	— <i>striped-flowered</i>	...	...	...	...	stri.	...	...	4
910 to 919		<i>10 finest sorts</i>	...	...	...	...	div.	...	...	3 0

ADDITIONAL SEEDS. The numbers continued from page 25.

No.	s. d.	No.	s. d.
1679	6	1688	6
1680	1 0	1689	3
1681	6	1690	3
1682	3	1691	6
1683	6	1692	6
1684	1 0	1693	3
1685	1 0	1694	3
1686	1 0	1695	6
1687	1 0	1696	6



## FLOWERS HAVING POPULAR NAMES.

The following plants are best known by the Popular Names, but the Scientific Name being necessary to show the genus to which they belong, it is also given. Such Popular Names as *Convolvulus Minor*, *Flos Adonis*, *White Candytuft*, *Columbine*, &c., have little or no affinity with the Latin, and are not to be considered as translations (see p. 5).

A — is employed to indicate varieties.			L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.
920	Aster, Chinese, mixed	<i>Aster chinensis</i> , pl. var.	19	54	84	hhA	div.	2	7-10	...	...	...	3
921	German, quilled, m.	<i>chinensis fistulosus</i> fl. p.	...	...	...	...	...	...	...	...	...	...	6
922	— Globe, extra	— <i>glabularis</i>	...	...	...	...	...	...	...	...	...	...	6
923	French Perfection	— <i>incomparabilis</i>	...	...	...	...	...	...	...	...	...	...	1 0
924	Paeony-flowered	— <i>pæoniæflorus</i>	...	...	...	...	...	...	...	...	...	...	1 0
925	Pyramidal	— <i>pyramidalis</i>	...	...	...	...	...	...	...	...	...	...	6
926	— Bouquet	— <i>multiflorus</i>	...	...	...	...	...	...	...	...	14	...	6
927	Turkey, new m.	— <i>turcicus novus</i> 10 v.	...	...	...	...	...	...	...	...	2	...	1 0
928	very dwarf	— <i>nanissimus</i>	...	...	...	...	...	...	...	...	1	...	6
929	Auricula, fine Alpine	<i>Primula Auricula</i> , pl. var.	5	25	134	hP	...	...	...	...	...	5-7	6
930	finest prize	<i>Auricula cæmia</i>	...	...	...	fP	...	...	...	...	...	...	2 6
931	Balsam, fine double, m.	<i>Balsamina hortensis</i> , fl. pl.	...	...	71	tA	...	...	...	...	2	6-9	6
932	double scarlet	<i>hortensis coccinea</i>	...	...	...	...	...	...	...	s.	...	...	3
933	— spotted, 6 var.	— <i>punctata</i>	...	...	...	...	...	...	...	div.	...	...	6
934	— striped, 6 var.	— <i>striata</i>	...	...	...	...	...	...	...	...	...	...	6
935	— Camellia, fine m.	<i>Camelliaeflora</i>	...	...	...	...	...	...	...	...	...	...	6
936	— Rose-flowered, m.	<i>rosæflora</i>	...	...	...	...	...	...	...	...	...	...	6
937	— new orange	— <i>aurantiaca</i>	...	...	...	...	...	...	...	o.	...	...	6
938	— new sulphur	— <i>sulphurea</i>	...	...	...	...	...	...	...	sul.	...	...	6
939	Candytuft, fragrant	<i>Iberis odorata</i>	15	60	88	hA	w.	1	...	...	...	...	3
940	purple	<i>umbellata</i>	...	...	...	...	p.	...	...	...	...	...	3
941	new crimson	— <i>kermesina</i>	...	...	...	...	er.	...	...	...	...	...	3
942	Rocket	— <i>caronaria</i>	...	...	...	...	w.	...	...	...	...	...	3
943	rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	...	...	...	3
944	white	<i>anara</i>	...	...	...	...	w.	...	...	...	...	...	3
945	Canterbury Bell, pur.	<i>Campánula Medium</i>	5	25	78	hP+	p.	2½	...	...	...	...	3
946	white	<i>Medium alba</i>	...	...	...	...	w.	...	...	...	...	...	3
947	double blue	— <i>flöre-pleno</i>	...	...	...	...	b.	...	...	...	...	...	3
948	— lilac	— <i>lilacina</i>	...	...	...	...	li.	...	...	...	...	...	3
949	— white	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	3
950	Capsicum, fine mixed	<i>Capsicum annuum</i> , pl. var.	...	...	146	tA	f. va.	2	...	...	...	...	6
951	Carnation, double	<i>Dianthus Caryophyllus</i> , pl.	10	26	145	hP	div.	...	...	...	...	...	1 0
952	double, finest	<i>Caryophyllus splendens</i>	...	...	...	hhP	...	...	...	...	...	...	2 6
953	— perpetual	— <i>semperflorens</i>	...	...	...	...	...	...	...	...	5-10	...	2 6
954	Catchfly, 'Lobel's	<i>Silene Armeria</i>	...	28	...	hA	r.	1	6-7	...	...	...	3
955	white	<i>Armeria alba</i>	...	...	...	...	w.	...	...	...	...	...	3
956	Chrysanthemum trieco.	<i>Chrysanth. carinatum</i>	19	54	84	...	3 eol.	...	6-9	...	...	...	3
957	tricolor yellow	<i>carinatum flavum</i>	...	...	...	...	y.	...	...	...	...	...	3
958	white and yellow, m.	<i>coronarium</i> , 2 var.	...	...	...	...	y. & w.	2½	...	...	...	...	3
959	Clary, purple and red	<i>Sabia florinum</i> , 2 var.	2	25	107	...	p. & r.	1	...	...	...	...	3
960	Copecomb, dwarf	<i>Celosia cristata nana</i>	5	...	64	tA	er.	...	...	...	...	...	4
961	dwarf yellow	<i>cristata nana flava</i>	...	...	...	...	y.	...	...	...	...	...	6
962	— orange	— <i>nana aurantiaca</i>	...	...	...	...	a.	...	...	...	...	...	6
963	Columbine, double	<i>Aquilegia vulgaris</i> , fl. pl.	13	30	136	hP+	div.	2	6-8	...	...	...	3
964	Convolvulus major**	<i>Ipomœa purpurea</i> , pl. v.	5	25	86	hhA	...	10	7-10	...	...	...	3
965	major, splendid, m.**	<i>purpurea splendida</i> , 20	...	...	...	...	...	...	...	...	...	...	1 0
966	— blue**	— <i>caerulea</i> [var.]	...	...	...	...	b.	...	...	...	...	...	3
967	— crimson**	— <i>kermesina</i>	...	...	...	...	er.	...	...	...	...	...	3
968	— dark purple**	— <i>atropurpurea</i>	...	...	...	...	d. p.	...	...	...	...	...	3
969	— rose**	— <i>rosen</i>	...	...	...	...	ro.	...	...	...	...	...	3
970	— spotted**	— <i>punctata</i>	...	...	...	...	spot.	...	...	...	...	...	3
971	— striped**	— <i>striata</i>	...	...	...	...	stri.	...	...	...	...	...	3
972	— violet	— <i>violacea</i>	...	...	...	...	v.	...	...	...	...	...	3
973	— white**	— <i>alba</i>	...	...	...	...	w.	...	...	...	...	...	3
974	Convolvulus minor	<i>Convolvulus tricolor</i>	...	...	...	hA	b.	1	6-10	...	...	...	3
975	minor dark purple	<i>tricolor atropurpureus</i>	...	...	...	...	d. b.	...	...	...	...	...	3
976	— double-flowered	— <i>flöre-pleno</i>	...	...	...	...	b.	...	...	...	...	...	6
977	— large-flowered	— <i>grandiflorus</i>	...	...	...	...	p.	...	...	...	...	...	3
978	— striped	— <i>striatus</i>	...	...	...	...	stri.	...	...	...	...	...	3
979	— white	— <i>albus</i>	...	...	...	...	w.	...	...	...	...	...	3

*A — is employed to indicate varieties.*

No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
980	Cowslip, fine mixed	<i>Primula elatior</i> , pl. var.	5	25	134	hP+	div.	5-8	3
981	Cyamus (Corn Bottle)	<i>Centaurea Cyanus</i> , pl. var.	19	55	84	hA	...	1½	6-9
982	— new rose	<i>Cyanus rosea</i>	...	...	...	ro.	...	...	3
983	— striped	<i>— striata</i>	...	...	...	stri.	...	...	3
984	— sky-blue	<i>— azurea</i>	...	...	...	s. b.	...	...	3
985	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	146	tA	p. fr.	2	...
986	— white	<i>ovigerum album</i>	...	...	...	w. fr.	...	...	3
987	Evening Primrose	<i>Oenothera biennis</i>	8	...	124	hP+	y.	...	7-8
988	Everlasting Flowers	<i>Helichrysum</i> sp. &c.	19	54	84	hA	div.	...	7-9
989	Flos Adonis	<i>Adonis aestivalis</i>	13	35	136	...	s.	1	7-8
990	Forget-me-not	<i>Mysotis palustris</i>	5	25	74	hP+	b. & y.	...	...
991	Foxglove	<i>Digitalis purpurea</i>	14	59	143	...	p.	...	...
992	Fraxinella, white	<i>Diclamnus Fraxinella</i>	10	25	140	hP	w.	...	6-8
993	— red	<i>Fraxinella rubra</i>	...	...	...	r.	...	...	...
994	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	108	hB+	s.	2	7-9
995	— white	<i>coronarium album</i>	...	...	...	w.	...	...	...
996	Geranium, finest m.	<i>Pelargonium hybridum</i>	16	42	100	gS	div.	3	6-9
997	— scarlet	<i>zonale</i> pl. var.	...	...	...	s.	...	...	...
998	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	64	gA	p.	2½	7-9
999	— white	<i>globosa alba</i>	...	...	...	w.	...	...	...
1000	— orange yellow	<i>Haageana</i>	...	...	...	o.	...	...	...
1001	Globe Thistle	<i>Echinops sphaerocephalus</i> ?	19	57	84	hP	l. b.	5	6-9
1002	Gourd, gigantic, new**	<i>Cucurbita Pepo gigantea</i>	21	49	89	fA	y.	...	7-9
1003	Bottle, 3 var.**	<i>Lagenaria</i>	...	...	...	w.	...	...	...
1004	Hereules' Club**	<i>— clavata Herculis</i>	...	...	...	...	...	...	...
1005	— orange**	<i>aurantia</i>	...	...	...	y.	...	...	...
1006	— Pear**	<i>ovifera pyriformis</i>	...	...	...	...	...	...	...
1007	— Turban**	<i>var. tiariformis</i>	...	...	...	...	...	...	...
1008	Groundsel, American	<i>Senecio elegans</i>	19	54	84	hA	p.	1	...
1009	Hawkweed, red	<i>Crepis rubra</i>	...	53	...	...	r.	...	7-8
1010	— white	<i>rubra alba</i>	...	...	...	w.	...	...	...
1011	— yellow	<i>Tolpis barbata</i>	...	...	...	y.	...	...	...
1012	— silvery	<i>barbata argentea</i>	...	...	...	sil.	...	...	...
1013	Heartsease (Pansy), ex.	<i>Viola tricolor hybrida</i>	5	25	157	hP+	div.	...	6-10
1014	— new bronze	<i>tricolor xerampelina</i>	...	...	...	br. r.	...	...	...
1015	Hollyhock, Chinese, m.	<i>Althaea chinensis</i> , pl. var.	16	48	115	hA	div.	2	7-9
1016	— rose-coloured	<i>rosea</i>	...	...	...	hP	ro.	7	6-9
1017	— black	<i>— nigra</i>	...	...	...	...	blk.	...	...
1018	— crimson	<i>— kermesina</i>	...	...	...	cr.	...	...	...
1019	— purple	<i>— purpurea</i>	...	...	...	p.	...	...	...
1020	— red	<i>— rubra</i>	...	...	...	r.	...	...	...
1021	— variegated	<i>— variegata</i>	...	...	...	va.	...	...	...
1022	— white	<i>— alba</i>	...	...	...	w.	...	...	...
1023	— yellow	<i>— lutea</i>	...	...	...	y.	...	...	...
1024	— new prize, m.	<i>— nova eximia</i>	...	...	...	div.	...	...	1 0
1025	Honesty, pur. & white	<i>Lunaria biennis</i> , 2 sp.	15	60	88	hB+	p. & w.	3	5-7
1026	Ice Plant	<i>Mesembryan. crystallinum</i>	12	27	95	...	w.	...	7-8
1027	Jacobæa, double, m.	<i>Senecio elegans fl. pl.</i>	19	54	84	hA	div.	1	7-9
1028	— double crimson	<i>elegans kermesinus</i>	...	...	...	cr.	...	...	...
1029	— purple	<i>— purpureus</i>	...	...	...	p.	...	...	...
1030	— red	<i>— ruber</i>	...	...	...	r.	...	...	...
1031	— rose	<i>— roseus</i>	...	...	...	ro.	...	...	...
1032	— violet	<i>— violaceus</i>	...	...	...	v.	...	...	...
1033	— white	<i>— albus</i>	...	...	...	w.	...	...	...
1034	Jacob's Ladder, 2 var.	<i>Polemonium caruleum</i>	5	25	130	hP+	b. & w.	1½	6-9
1035	Larkspur, dwarf*	<i>Delphinium Ajacis humile</i>	13	28	136	hA	div.	1	7-8
1036	— dwarf, German*	<i>Ajacis humile</i> , var.	...	...	...	...	...	...	...
1037	— blue	<i>— humile caruleum</i>	...	...	...	b.	...	...	...
1038	— rose	<i>— roseum</i>	...	...	...	ro.	...	...	...
1039	— white	<i>— album</i>	...	...	...	w.	...	...	...
1040	Hyacinth-flowered*	<i>— hyacinthoides</i>	...	...	...	div.	...	...	...
1041	taller Pyramidal	<i>elatior pyramidalis</i>	...	...	...	...	...	1½	...
1042	— blue	<i>— celestinum</i>	...	...	...	b.	...	...	...
1043	— rose	<i>— roseum</i>	...	...	...	ro.	...	...	...
1044	— white	<i>— album</i>	...	...	...	w.	...	...	...
1045	German Branching	<i>Consolida</i> pl. var.	...	...	...	div.	2	7-9	6
1046	— blue	<i>— ceruleum</i>	...	...	...	b.	...	...	...
1047	— rose	<i>— roseum</i>	...	...	...	ro.	...	...	...

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1048	Larkspur, Branching w	<i>Delphinium Consolida, a.</i>	13	28	136	hA	w.	2	7-9	3
1049	Bee	<i>elatum, pl. var.</i>	...	...	...	hP†	div.	...	...	3
1050	Lavatera, red	<i>Lavatera trimestris</i>	16	48	115	hA	ro.	3	7-8	3
1051	white	<i>trimestris alba</i>	...	...	...	...	w.	...	...	3
1052	Lily of the Valley	<i>Camvallaria majalis</i>	6	25	162	hPb	...	1	5-7	6
1053	Love Grass	<i>Eragrostis elegans</i>	3	26	102	hA	ap.	...	7-8	3
1054	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	64	...	r.	trai	...	3
1055	Lupines, Dutch blue	<i>Lupinus canaliculatus</i>	16	45	108	...	b.	2	7-9	3
1056	large blue	<i>hirsutus</i>	...	...	...	...	...	...	...	3
1057	— rose	<i>pilosus</i>	...	...	...	...	ro.	...	...	3
1058	small blue	<i>angustifolius</i>	...	...	...	...	b.	1½	...	3
1059	yellow	<i>luteus</i>	...	...	...	...	y.	2	...	3
1060	white	<i>albus</i>	...	...	...	...	w.	2	...	3
1061	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	84	hhA	div.	1½	7-10	3
1062	French, dwarf	<i>patula nana</i>	...	...	...	...	d. br.	1	...	3
1063	— dwarf orange	<i>— nana aurantiaca</i>	...	...	...	...	o.	...	...	3
1064	— superb striped	<i>— striatiflora fl. pl.</i>	...	...	...	...	stri.	1½	...	6
1065	— unique	<i>— simplex</i>	...	...	...	...	...	...	...	3
1066	— miniature*	<i>— nanissima</i>	...	...	...	...	br.	¾	...	3
1067	— — yellow*	<i>— flava</i>	...	...	...	...	y.	...	...	3
1068	African, m.	<i>erecta, pl. var.</i>	...	...	...	...	div.	2	...	3
1069	— lemon	<i>— citrina</i>	...	...	...	...	y.	...	...	3
1070	— orange	<i>— aurantiaca</i>	...	...	...	...	o.	...	...	3
1071	— quilled	<i>— fistulosa</i>	...	...	...	...	o. & y.	...	...	3
1072	— large-flowered	<i>— grandiflora</i>	...	...	...	...	o.	...	...	6
1073	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w. & p.	1	...	3
1074	hybrid	<i>hybrida</i>	...	...	...	...	w.	...	7-8	3
1075	superb garden	<i>affinialis superba</i>	...	...	...	...	o.	...	...	3
1076	Marvel of Peru, m.	<i>Mirabilis Jalapa pl. var.</i>	5	25	120	hhPb	div.	2	...	3
1077	gold-striped	<i>Jalapa aureo-striata</i>	...	...	...	...	stri.	...	6-8	3
1078	red-striped	<i>— rubra-striata</i>	...	...	...	...	...	...	...	3
1079	scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	3
1080	superb, new	<i>— superba nova</i>	...	...	...	...	va.	...	...	3
1081	white	<i>— alba</i>	...	...	...	...	w.	...	...	6
1082	yellow	<i>— lutea</i>	...	...	...	...	y.	...	...	3
1083	sweet-scented	<i>longiflora</i>	...	...	...	...	w.	...	...	3
1084	— purple	<i>— purpurea</i>	...	...	...	...	p.	...	...	3
1085	Mignonette, per oz. 6d.	<i>Reseda odorata</i>	11	28	137	hA	buff	1	7-9	3
1086	new, large, oz. 1s.	<i>odorata grandiflora</i>	...	...	...	...	...	1½	...	3
1087	Musk-Plant	<i>Mimulus moschatus</i>	14	59	143	hhP†	y.	¾	...	3
1088	Nasturtions, tall**	<i>Tropaeolum majus</i>	8	25	151	hA	o.	6	...	3
1089	tall carmine**	<i>majus miniatum</i>	...	...	...	...	c.	...	...	3
1090	— crimson**	<i>— kermesinum</i>	...	...	...	...	cr.	...	...	3
1091	— spotted**	<i>— punctatum</i>	...	...	...	...	spot.	...	...	3
1092	dwarf	<i>— coccineum nanum</i>	...	...	...	...	s.	1½	...	3
1093	Palma Christi, major	<i>Ricinus communis, major</i>	21	49	94	hhA	buff	6	7-8	3
1094	Pea, Lord Anson's**	<i>Lathyrus magellanicus</i>	17	45	108	hA	b.	...	...	3
1095	Tangier**	<i>tingitanus</i>	...	...	...	...	s.	4	...	3
1096	— striped**	<i>— striatus</i>	...	...	...	...	stri.	...	...	3
1097	Pea, Sweet** lb. 4s.	<i>Lathyrus odoratus, fl. pl.</i>	...	...	...	...	div.	6	...	3
1098	black**	<i>odoratus niger</i>	...	...	...	...	b.	...	...	3
1099	painted Lady**	<i>— pictus</i>	...	...	...	...	r. & w.	...	...	3
1100	purple**	<i>— purpureus</i>	...	...	...	...	p.	...	...	3
1101	— striped**	<i>— striatus</i>	...	...	...	...	stri.	...	...	3
1102	scarlet**	<i>— coccineus</i>	...	...	...	...	s.	...	...	3
1103	— striped**	<i>— striatus</i>	...	...	...	...	stri.	...	...	3
1104	white**	<i>— albus</i>	...	...	...	...	w.	...	...	3
1105	Persicaria, red	<i>Polygonum orientale</i>	8	28	132	...	r.	4	6-9	3
1106	white	<i>orientale album</i>	...	...	...	...	w.	...	...	3
1107	Picotee, double	<i>Dianthus Caryophyllus, v.</i>	10	26	145	hP	div.	2	...	1 0
1108	extra fine	<i>Car. punctatus, fl. pl.</i>	...	...	...	hhP	...	...	...	2 6
1109	Pink, double	<i>moschatus, fl. pl.</i>	...	...	...	hP	...	1	...	1 0
1110	Polyanthus, fine*	<i>Primula elatior polyantha</i>	5	25	134	hP†	...	¾	5-7	6
1111	extra fine	<i>polyantha eximia</i>	...	...	...	...	...	...	...	1 0
1112	Poppy, double m.	<i>Papaver somniferum, fl. pl.</i>	13	...	126	hA	...	2	7-8	3
1113	double black	<i>somniferum niger</i>	...	...	...	...	blk.	...	...	3
1114	— scarlet	<i>— coccineum</i>	...	...	...	...	s.	...	...	3
1115	— striped	<i>— striatum</i>	...	...	...	...	stri.	...	...	3



<i>A — is employed to indicate varieties.</i>			L.C.	L.O.	N.O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
No.								feet	s. d.	
1116	Poppy, double white	<i>Papaver somniferum, alb.</i>	13	25	126	hA	w.	2	7-8	3
1117	— new Globe	<i>somniferum globosum</i>	...	...	...	...	div.	...	...	6
1118	— Pæony	<i>— pæoniaeflorum</i>	...	...	...	...	...	...	...	3
1119	— dwarf French, m.	<i>Rheas</i>	...	...	...	...	...	1	...	3
1120	— scarlet	<i>— coccineum</i>	...	...	...	...	s.	...	...	3
1121	Primrose, Chinese, frin	<i>Primulasinensisfimbriata</i>	5	...	134	gP†	div.	...	10-5	1 0
1122	Prince's Feather, large	<i>Amaranthus speciosus</i>	21	40	64	hA	p.	3	7-8	3
1123	common	<i>hypochondriacus</i>	...	...	...	...	...	2	...	3
1124	Quaking Grass	<i>Briza maxima</i>	3	26	102	...	ap.	1	...	3
1125	Rocket, purple	<i>Hesperis matronalis</i>	15	61	88	hP†	p.	1½	6-9	3
1126	sweet	<i>Iris</i>	...	...	...	...	w.	1	...	3
1127	Rose Champion	<i>Lychnis coronaria</i>	10	31	145	...	cr.	2	6-8	3
1128	Scabious, new dwarf	<i>Scabiosa nana</i>	4	25	91	hA	div.	1	6-9	3
1129	dark purple	<i>atropurpurea</i>	...	...	...	hP†	d. p.	2	...	3
1130	crimson	<i>— kermesina</i>	...	...	...	...	er.	...	...	3
1131	white	<i>— alba</i>	...	...	...	...	w.	...	...	3
1132	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	108	gS	pk.	...	7-9	6
1133	Stoek, annual, m.	<i>Mathiola annua, pl. var.</i>	15	61	88	hhA	div.	1½	6-9	6
1134	German, m.	<i>annua densiflora, pl. v.</i>	...	...	...	...	...	1	...	1 0
1135	— crimson	<i>— kermesina</i>	...	...	...	...	cr.	...	...	4
1136	— dark blue	<i>— atro-cerulea</i>	...	...	...	...	d. b.	...	...	4
1137	— light blue	<i>— late-cerulea</i>	...	...	...	...	l. b.	...	...	4
1138	— rose	<i>— rosea</i>	...	...	...	...	ro.	...	...	4
1139	— scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	4
1140	— sulphur	<i>— sulphurea</i>	...	...	...	...	sul.	...	...	4
1141	— variable	<i>— variabilis</i>	...	...	...	...	w. & b.	...	...	4
1142	— white	<i>— alba</i>	...	...	...	...	w.	...	...	4
1143	large-flowered, m.	<i>— grandiflora, pl. var.</i>	...	...	...	...	div.	...	...	6
1144	— scarlet	<i>— coccinea</i>	...	...	...	...	div.	...	...	4
1145	Wallflower-leaved	<i>— cheirifolia (græca)</i>	...	...	...	...	s.	...	...	6
1146	— new sulphur	<i>— sulphurea nova</i>	...	...	...	...	sul.	...	...	6
1147	— purple	<i>— purpurea</i>	...	...	...	...	p.	...	...	3
1148	— scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	3
1149	— white	<i>— alba</i>	...	...	...	...	w.	...	...	3
1150	hybrid, new	<i>— hybrida nova</i>	...	...	...	...	...	...	...	6
1151	intermediate, m.	<i>— intermedia, pl. var.</i>	...	...	...	...	div.	1½	8-10	6
1152	— scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	3
1153	new miniature	<i>— pygmæa, nova pl. v.</i>	...	...	...	...	div.	½	6-9	6
1154	— new sky-blue	<i>— celestis nova</i>	...	...	...	...	s. b.	...	...	6
1155	— scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	3
1156	pyramidal	<i>— pyramidalis</i>	...	...	...	...	w.	1½	...	3
1157	Ten-week, m.	<i>— ramosa, pl. var.</i>	...	...	...	...	div.	...	...	3
1158	— purple	<i>— purpurea</i>	...	...	...	...	p.	...	...	3
1159	— scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	3
1160	— white	<i>— alba</i>	...	...	...	...	w.	...	...	3
1161	Brompton, m.	<i>simplicicaulis, pl. var.</i>	...	...	...	hhB	div.	3	5-7	6
1162	— purple	<i>— purpurea</i>	...	...	...	...	p.	...	...	3
1163	— scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	3
1164	— white	<i>— alba</i>	...	...	...	...	div.	...	...	3
1165	Imperial, m.	<i>imperialis, pl. var.</i>	...	...	...	hhP†	w.	1½	6-10	6
1166	— rosy carmine	<i>— roseo-miniata</i>	...	...	...	...	ro. e.	...	...	6
1167	Queen, mixed	<i>incana, pl. var.</i>	...	...	...	hhB	div.	...	5-7	6
1168	— purple	<i>— purpurea</i>	...	...	...	...	p.	...	...	3
1169	— scarlet	<i>— coccinea</i>	...	...	...	...	s.	...	...	3
1170	— white	<i>— alba</i>	...	...	...	...	w.	...	...	3
1171	Sunflower, double tall	<i>Helianthus annuus</i>	19	55	84	hA	y.	7	7-9	3
1172	giantie	<i>annuus giganteus</i>	...	...	...	...	...	12	...	6
1173	Californian, fl. pl.	<i>Californicus, fl. pl.</i>	...	...	...	...	...	6	...	6
1174	pyramidal	<i>pyramidalis</i>	...	...	...	...	...	3	...	3
1175	Sweet Alysson	<i>Alyssum maritimum</i>	15	60	88	...	w.	½	6-8	3
1176	— Briar	<i>Rosa rubiginosa</i>	12	33	138	hS	pk.	4	5-7	3
1177	— Sultan, purple	<i>Centaurea moschata</i>	19	55	84	hA	p.	2	7-8	3
1178	— white	<i>moschata alba</i>	...	...	...	...	w.	...	...	3
1179	— yellow	<i>suaveolens</i>	...	...	...	...	y.	...	...	3
1180	— Violet	<i>Viola odorata, pl. var.</i>	5	25	157	hP†	div.	½	5-7	6
1181	— William	<i>Dianthus barbatus, pl. v.</i>	10	26	145	hP	...	1½	6-9	3
1182	Venus'-Looking-Glass*	<i>Campanula Speculum</i>	5	25	78	hA	b.	½	6-8	3
1183	blush*	<i>Speculum carnea</i>	...	...	...	...	blsh.	...	...	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1184	Venus'-Looking-Glass	<i>Campánula Spéculum alba</i>	5	25	78	hA	w.	$\frac{1}{2}$	6-8	3
1185	Venus'-Navel-wort	<i>Cynoglossum tinifolium</i>	...	...	74	...	...	1	...	3
1186	Virginia Stock, red	<i>Malcomia maritima</i>	15	61	88	...	r.	$\frac{1}{2}$	...	3
1187	white	<i>maritima alba</i>	...	...	...	...	w.	...	...	3
1188	Wallflower, dark	<i>Cheiranthus Cheiri</i>	...	...	...	hS	d. br.	2	5-9	3
1189	bordered	<i>Cheiri marginatus</i>	...	...	...	...	bor.	...	...	3
1190	new dwarf	<i>— nanus novus</i>	...	...	...	...	br.	1	...	3
1191	violet	<i>— violaceus</i>	...	...	...	...	v.	2	...	3
1192	yellow	<i>— flavus</i>	...	...	...	...	y.	...	...	3
1193	double, mixed	<i>— flore-pleno, pl. var.</i>	...	...	...	...	div.	...	1	0
1194	— black	<i>— niger</i>	...	...	...	...	blk.	...	...	6
1195	— blue	<i>— cœruleus</i>	...	...	...	...	b.	...	...	6
1196	— light brown	<i>— brunneus</i>	...	...	...	...	l. b.	...	...	6
1197	— mulberry	<i>— moricolor</i>	...	...	...	...	mul.	...	...	6
1198	— new dwarf	<i>— nanus novus</i>	...	...	...	...	br.	1	...	6
1199	— dwarf blue	<i>— cœruleus</i>	...	...	...	...	b.	...	...	6
1200	— — violet	<i>— violaceus</i>	...	...	...	...	v.	...	...	6
1201	— sulphur	<i>— sulphureus</i>	...	...	...	...	sul.	2	...	6
1202	— two-coloured	<i>— bicolor</i>	...	...	...	...	va.	...	...	6
1203	— variegated	<i>— variegatus</i>	...	...	...	...	...	...	...	6
1204	— violet	<i>— violaceus</i>	...	...	...	...	v.	...	...	6
1205	— yellow	<i>— flavus</i>	...	...	...	...	y.	...	...	6
1206	Winter Cherry	<i>Physalis Alkekengi</i>	5	25	146	hP+	w.	$\frac{2}{3}$	...	3
1207	Xeranthemum, purple	<i>Xeranthemum annuum</i>	19	54	84	hA	p.	2	7-9	3
1208	white	<i>annuum album</i>	...	...	...	...	w.	...	...	3
1209	yellow	<i>Helichrysum bracteatum</i>	...	...	...	...	y.	...	...	3
1210	new white	<i>bracteatum album</i>	...	...	...	...	w.	...	...	3
1211	Zinnia, golden	<i>Zinnia aurea</i>	...	...	...	hhA	y.	...	...	3
1212	large-flowered	<i>grandiflora</i>	...	...	...	...	r.	...	...	3

## HARDY, GREENHOUSE AND STOVE SHRUBS, &amp;c.

h. hardy. g. greenhouse. s. shrub. ** climbers.			Natural Order.	Hardiness.	Price per pack.	h. hardy. g. greenhouse. s. shrub. ** climbers.			Natural Order.	Hardiness.	Price per pack.
No.		s. d.				No.		s. d.			
1213	Abutilon indicum	115 g	1	0	6	1240	Bignonia 3 sp. ex India**	73 s	1	0	6
1214	striatum	...	...	...	6	1241	Bossiaea linophylla	108 s	...	...	6
1215	Acacia Dodoneæfolia	108 ...	...	...	6	1242	Brunia nodiflora	75 ...	...	...	6
1216	leptophylla	...	...	...	6	1243	Buddleia Lindleyana	143 ...	...	...	6
1217	leucocéphala	...	...	...	6	1244	Burchellia capensis	139 ...	...	...	6
1218	pedunculata	...	...	...	6	1245	Cactus pl. sp. ex Texas	76 s	1	0	6
1219	pulchella	...	...	...	6	1246	Cajanus flavus	108 ...	...	...	6
1220	spiciosa	...	...	...	6	1247	Callitris quadrivalvis	85 ...	...	...	6
1221	4 sp. ex India	...	s	1	0	1248	Camellia japonica fl. pl.	77 s	1	0	6
1222	Andrœmeda speciosa	93 h	6	...	6	1249	Caprifolium 6 sp.**	80 h	...	...	6
1223	Anthyllis Barba-Jovis	108 g	6	...	6	1250	Cassia corymbosa	108 g	...	...	6
1224	Aralia sp.	68 ...	...	...	6	1251	grandiflora	...	...	...	6
1225	Arduina acuminata	67 ...	1	0	6	1252	Chironia frutescens	99 ...	...	...	6
1226	bispinosa	...	...	...	6	1253	Chorozenia macrocephala	108 ...	...	...	6
1227	Aristolochia picta**	69 ...	...	...	6	1254	4 species	...	...	...	6
1228	Sipho**	...	h	3	6	1255	Chrysanthemum indicum	84 h	1	0	6
1229	Asclepias sp. albiflora**	70 s	6	...	6	1256	indicum nanum	...	...	...	6
1230	Atrãgene capensis**	136 g	6	...	6	1257	Clématis 12 species**	136 ...	...	...	6
1231	Aulax pinifolia	135 ...	1	0	6	1258	Clerodendrum odoratum	156 s	1	0	6
1232	Azalea indica	93 ...	1	0	6	1259	fallax superbum	...	...	...	6
1233	pontica 20 var.	...	h	1	0	1260	Clianthus puniceus	108 g	...	...	6
1234	Bauhinia 2 sp.**	108 s	1	0	6	1261	Clitorea ternatea**	...	s	1	0
1235	Begonia nifida	72 ...	...	...	6	1262	Cobaea scandens**	32 s	...	...	6
1236	Befrya anomilla	150 ...	1	0	6	1263	Coleonema alba	140 ...	...	...	6
1237	Bignonia australis**	73 ...	6	...	6	1264	Coronilla glauca	108 ...	...	...	6
1238	laurifolia**	...	...	...	6	1265	montana	...	...	...	6
1239	radicans major**	...	h	6	6	1266	picta	...	s	...	6

## HARDY, GREENHOUSE AND STOVE SHRUBS, &amp;c. (continued).

|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

The following choice Seeds were received too late for the alphabetical arrangement.

<i>Ethionema cordifolia</i> , hA	6	<i>Mesembryanthemum roseum</i> lineare, fS	6
<i>Glossocoma clematidea</i> , hP†	6	<i>Nictenbergia calycina</i> , hHP†	1 0
<i>Inopissium acaule</i> (Cochlearia acaulis), hP†	6	<i>Parohchia argentea</i> , hHP	6
<i>Lilium Colchicum</i> , hPb	1 0	* <i>Phlox Drummondii</i> Victoria, hA	1 0
<i>Limoniastrum Guyonii</i> , gS	1 0	— <i>Drummondii</i> zinnabarina, hA	1 0
<i>Luffa acutangula</i> , fA	6	<i>Schwerfniâ superba</i> , sS	1 0
<i>Lycopersium texanum</i> , hA	6	<i>An elegant deciduous Shrub</i> , gS	1 0





MIXED PACKETS OF FLOWER SEEDS.

*comprising the finest and newest varieties, in 6 Sections.*

*For the particulars of treatment, &c. of the following six Sections, I. to VI., see page 24, as those remarks apply equally to the mixed packets.*

I. Hardy Annuals.			Half-hardy Annuals.			IV. Frame Perennials, &c.		
No.		s.d.	No.		s.d.	No.		s.d.
1511	Adonis, 3 var.	3	1569	Portulaca	6	1624	Alonsoa	6
1512	Calliopis	6	1570	Salpiglossis	6	1625	Alstroemeria	6
1513	Candytuft	3	1571	Schizanthus	6	1626	Carnation, extra	2 6
1514	Clarkia elegans	3	1572	Stock, dwarf Germ.	6	1627	Cistus	6
1515	Clarkia pulchella	3	1573	— new large-fl.	6	1628	Commelina	6
1516	Collinsia	3	1574	— very dwarf	6	1629	Dahlia	6
1517	Convolvulus minor	3	1575	— intermediate	6	1630	Gladiolus	1 0
1518	Cyanus	3	1576	Zinnia elegans	6	1631	Ipomopsis	6
1519	Gilia	3				1632	IXia	6
1520	Godetia	6				1633	Marvel of Peru	6
1521	Hibiscus	3				1634	Mimulus, large	6
1522	Jacobæa	6				1635	— dwarf	6
1523	Kalkfussia	3	III. Hardy Perennials, Biennials and Shrubs.			1636	Picotée, extra fine	2 6
1524	Larkspur, Hyacinth	6	1577	Anemone	6	1637	Sparaxis	6
1525	— dwarf German	6	1578	Antirrhinum	6	1638	Stock, Brompton	6
1526	— branching	6	1579	Aquilegia	6	1639	— Imperial	6
1527	— tall pyramidal	6	1580	Auricula	6	1640	— Queen	6
1528	Leptosiphon	1 0	1581	Azalea	6	1641	Verbena	1 0
1529	Lupinus, common	3	1582	Campanula	6			
1530	— newer sorts	6	1583	Canterbury Bell, d.	3	V. Greenhouse Seeds.		
1531	Malope	3	1584	— single	3	1642	Acacia	6
1532	Nasturtiums, 8 var.	6	1585	Carnation, double	1 0	1643	Anagallis	6
1533	Nemophila	3	1586	Centaurea	3	1644	Azalea	6
1534	Nolana	3	1587	Chrysanthemum, Chinese	1 0	1645	Balsam, double	6
1535	Poppy, superb new	3	1588	Clematis	1 0	1646	— Camellia	6
1536	— dwarf French	3	1589	Daisy	1 0	1647	— new rose	6
1537	Scabious, German	6	1590	Delphinium, Chin.	6	1648	— new dwarf	6
1538	Scizanthus	3	1591	— tall	6	1649	Calceolaria, 100var	1 0
1539	Silene	3	1592	Dianthus, dwarf	6	1650	— new spotted	1 0
1540	Sweet Peas	2	1593	Digitalis	3	1651	Chorozema	6
1541	Sweet Sultan Glass	3	1594	Eschscholtzia	6	1652	Cineraria	1 0
1542	Venus' Looking-	3	1595	Forget-me-not	6	1653	Epacris, superb	2 6
1543	Xeranthemum	3	1596	Gaillardia	6	1654	Erica	2 6
			1597	Gentiana	3	1655	Fuchsia	1 0
			1598	Geum	6	1656	Geranium	1 0
			1599	Heartsease	1 0	1657	— new hybrid	1 0
			1600	Helianthemum	6	1658	— scarlet	6
II. Half-hardy Annuals.			1601	Hollyhock, prize	1 0	1659	Globe Amaranthus	6
1544	Aster, Chinese	3	1602	Honeysuckle	6	1660	Helichrysum	6
1545	— German	6	1603	Indian Pink	6	1661	Heliotropium	6
1546	— Globe	6	1604	Iris	6	1662	Hibiscus	6
1547	— new Bouquet	6	1605	Lathyrus	3	1663	Ipomœa	1 0
1548	— dwarf	6	1606	Linum	6	1664	Kennedy	6
1549	— Pæony-fl.	1 0	1607	Lupinus	6	1665	Lophospermum	6
1550	— — Perfection	1 0	1608	Lychnis	3	1666	Maurandya	6
1551	— pyramidal	6	1609	Oenothera	6	1667	Passiflora	6
1552	Brachycome	6	1610	Papaver	6	1668	Primula sinensis	6
1553	Convolvulus major	3	1611	Pentstemon	6	1669	— fringed	1 0
1554	— splendid, 20 va.	1 0	1612	Phlox, extra	1 0	1670	Thunbergia	6
1555	Gaillardia	6	1613	Picotée, double	1 0	1671	Tropæolum	1 0
1556	Gourds	3	1614	Pæony	6	1672	Greenhouse Seeds	1 0
1557	Helichrysum	6	1615	Polyanthus	1 0			
1558	Helioophila	6	1616	Potentilla	6	VI. Stove Seeds.		
1559	Ipomœa	6	1617	Ranunculus	6	1673	Achimenes	1 0
1560	Loasa	6	1618	Rhododendron	1 0	1674	Canna	6
1561	Lobelia, dwarf	3	1619	Rose, 100 varieties	5 0	1675	Ferns, Indian	1 0
1562	Margold, French	3	1620	Saxifraga	3	1676	Gesneria	1 0
1563	— African	3	1621	Sweet William	6	1677	Gloxinia	1 0
1564	Martyuia	6	1622	Wallflower, single	6	1678	Stove Seeds	1 0
1565	Nycteria	6	1623	— double	6			
1566	Petunia	6						
1567	Phlox Drummondii	6						
1568	Podolepis	6						

## SELECTIONS OF FLOWER SEEDS.

The following lists of Hardy and Half-hardy Annuals, Perennials, Greenhouse and Stove Seeds will be useful to Customers in making a selection, as they comprise the most favourite sorts. Some of the Hardy Annuals, as *Calliopis*, which flower earlier when treated as half-hardy, will be found under both sections. A few Biennials and Perennials commonly treated as Annuals, as *Antirrhinum*, *Calandrinia*, *Eschscholtzia*, &c., are included among the latter. Some of the hardy and half-hardy Annuals, &c. are also proper for the Greenhouse, as *Nemophila maculata*, Stocks, &c. Selections may also be made from pages 24 and 25.

*Dwarf Hardy Annuals, from  $\frac{1}{2}$  to  $1\frac{1}{2}$  feet in height.*—Assortments 45 to 47, 56 (see page 4), Nos. 74, 127, 129, 132, 153, 162, 167, 170 to 172, 180, 181, 204, 205, 209, 213, 214, 236 to 239, 243, 252, 254, 260, 263, 285, 308, 324, 343, 365, 367 to 372, 374, 375, 379 to 381, 405 to 408, 411 to 421, 425, 427, 495 to 497, 503 to 508, 515 to 518, 521, 567 to 572, 625 to 628, 635 to 639, 657, 658, 662, 668, 673, 719, 728, 786, 787, 793 to 800, 809, 810, 813, 817, 869, 870, 893, 894, 897, 939 to 944, 956, 957, 974 to 979, 989, 1009 to 1012, 1013, 1027 to 1033, 1035 to 1044, 1073 to 1075, 1085, 1086, 1119, 1120, 1128, 1175, 1182 to 1187.

*Taller Hardy Annuals, from  $1\frac{1}{2}$  ft. to 3 ft. and upwards in height.*—Assortments 36, 48, 53, 55, Nos. 67, 68, 79, 93, 95 to 108, 118 to 120, 164 to 169, 173, 174, 230 to 235, 363, 373, 450, 451, 529, 558 to 566, 589 to 591, 593, 718, 865 to 868, 871, 958, 981 to 984, 1015, 1045 to 1049, 1054 to 1060, 1076 to 1084, 1088 to 1091, 1097 to 1106, 1112 to 1118, 1122, 1123, 1171 to 1174, 1177 to 1179, 1207 to 1210.

*Dwarf Half-hardy Annuals, &c., from  $\frac{1}{2}$  ft. to  $1\frac{1}{2}$  ft. in height.*—Assortments 11 to 30, 40, 49, 51, Nos. 61, 70, 117, 145, 146, 154, 167, 170, 215 to 217, 243 to 246, 280, 388, 391, 446, 448, 459, 536, 538 to 544, 546, 547, 550 to 553, 603 to 607, 613, 623, 624, 719 to 726, 729 to 741, 768, 770, 817, 875, 895, 926, 928, 1062, 1066, 1067, 1087, 1133 to 1160.

*Taller Half-hardy Annuals, &c., from  $1\frac{1}{2}$  ft. to 3 ft. and upwards in height.*—Assortments 1 to 10, 37 to 39, 50, 54, 59 or 60, Nos. 133 to 140, 150, 151, 158, 159, 164 to 170, 173, 174, 175, 212, 216 to 242, 261, 262, 269 to 272, 276 to 279, 281, 282, 351, 385 to 387, 389, 392, 428 to 445, 465, 473 to 475, 509, 524, 525, 586 to 588, 595 to 599, 602, 615, 679, 709, 710 to 717, 771 to 775, 780, 790 to 792, 802, 814, 829, 871, 898 to 909, 920 to 925, 931 to 938, 964 to 973, 988, 1061, 1064, 1068 to 1072, 1093, 1211, 1212.

*Dwarf Hardy Perennials, from  $\frac{1}{2}$  ft. to  $1\frac{1}{2}$  ft. in height.*—Nos. 75 to 77, 91, 92, 116, 130, 176 to 178, 264, 265, 274, 287 to 293, 306, 334 to 339, 343 to 345, 347, 349, 393, 394, 426, 461, 522, 582, 616 to 620, 633, 656, 663, 742 to 753, 788, 789, 801, 821, 831, 887 to 891, 929, 980, 1013, 1052, 1109, 1110, 1111, 1126, 1198 to 1200.

*Taller Hardy Perennials, from  $1\frac{1}{2}$  ft. to 3 ft. and upwards in height.*—Assortments 43, 44, 52, 57, 58, 72, 73, Nos. 89, 95 to 115, 163, 179, 182, 183, 186 to 190, 200, 201, 202, 211, 218, 279, 286, 294 to 306, 311 to 315, 318, 331, 342, 350, 352 to 358, 360 to 362, 365, 390, 449, 498 to 502, 510, 511 to 514, 530, 573 to 581, 583 to 585, 594, 600, 601, 660, 661, 665, 682 to 684, 694 to 708, 727, 769, 776 to 779, 781 to 785, 807, 808, 818 to 820, 823, 826, 830, 834, 846, 847, 876, 963, 987, 992 to 995, 1001, 1016 to 1024, 1034, 1049, 1076 to 1084, 1125, 1127, 1188 to 1197, 1201 to 1205, 1206.

*Half-hardy Perennials, height various.*—Assortments 31 to 35, 41, 42, 52, Nos. 66, 70, 94, 159, 160, 255 to 257, 319 to 333, 359, 409, 457, 485 to 489, 526, 529, 533 to 535, 582, 608 to 613, 674 to 678, 768, 842 to 845, 1161 to 1170.

*Greenhouse Seeds, height various.*—Assortments 15, &c., 37 to 40, 50, 51, 54, Nos. 83 to 88, 121, 141 to 143, 147 to 149, 155, 156, 187, 188, 206, 219 to 226, 247, 351, 376, 464, 476, 478, 482, 493, 526, 533 to 535, 555, 632, 659, 685 to 693, 709 to 717, 719 to 726, 733 to 741, 754 to 763, 770 to 775, 790 to 792, 802, 816, 827, 828, 835 to 841, 849 to 864, 892, 930, 931 to 938, 985, 986, 996, 997, 998 to 1000, 1132, 1134 to 1144, 1154, 1161 to 1170. See also Greenhouse Seeds, pages 22 and 23.

*Stove Seeds, height various.*—Nos. 62, 124, 192 to 197, 399, 410, 424, 466, 478 to 484, 885, 896, & p. 23.

*Aquatics.*—Nos. 71, 519, 520, 621, 622, 644 to 655, 833.

*Reference to the Newest Annuals, &c. introduced this year for the first time.*—Nos. 314, 371, 872, 428, 503, 649, 755, 761, 762, 897, 1086, 1687, 1696.

*The following have been introduced within the last two years.*—Nos. 117, 170, 174, 205, 212, 214, 246, 248, 253, 257, 263, 272, 339, 387, 389, 392, 424, 429, 435, 465, 500, 516, 517, 523, 524, 525, 529, 531, 545, 552, 553, 559, 562, 569, 570, 571, 572, 602, 617, 662, 679, 709, 717, 722, 726, 727, 737, 761, 762, 770, 774, 810, 813, 814, 844, 845, 857, 858, 865 to 868, 870, 875, 895, 923, 924, 926, 1014, 1040, 1066, 1067, 1080, 1160, 1154, 1155, 1172, 1173, 1193, 1201, 1227, 1269, 1348, 1682, 1693, 1691, 1692.



## HARDY AND GREENHOUSE BULBS.

12, 25 or 50 Bulbs may be had at the same rate as per 100; and 3 at the same rate as per doz.

HARDY BULBS.		s. d.		s. d.
Amaryllis lutea, yellow	each	0 3	Zephyranthes candida, white	per doz. 2 0
Bella-Donna	"	0 9	Atamaseo, Atamaseo Lily	" 3 0
formosissima, most beautiful	"	0 6	carinata, keel-shaped	" 5 0
Anomatheca cruenta	"	0 2	grandiflora, large-flowered	" 5 0
Anemones, double, 100 varieties	per 100	20 0	rosea, rose-coloured	" 5 0
double, scarlet	"	10 0	sp. ex Texas	each 1 0
double, mixed	"	6 0	GREENHOUSE BULBS.	
single, scarlet	"	6 0	Amaryllis aulica, courtly	each 4 0
— finest new mixed	"	3 6	erecta grandiflora	" 4 0
Anemone hortensis, 25 fine var.	for	5 0	— superba, superb	" 4 0
fine mixed	per 100	10 0	Johnsoni striatiflora, striped	" 4 0
Crinum capeuse, Cape	each	1 0	miniata, vermilion	" 3 6
Cyclamen europeum, European	"	0 9	reginae, Queen's	" 5 0
Dahlia, dry roots, from 12s.	per doz.	18 0	speciosa, showy	" 4 0
Gladiolus gandavensis, Ghent	"	3 0	vittata, striped	" 2 6
natalensis (psittacinus)	"	2 0	— major, large-flowered	" 3 6
oppositiflorus (floribundus)	"	2 6	fine mixed	per doz. 24 0
ramosus, branching	"	3 0	Coburgia flava, yellow	each 3 6
Victoria regina, Queen's	"	5 0	incarnata, flesh-coloured	" 3 6
24 in 8 fine var.	for	8 0	Cyclamen coum, Cos	" 1 0
Gladiolus, new Seedlings, extra	doz.	15 0	persicum, Persian	" 1 0
— do. from G. gandavensis	"	9 0	— album, white	" 1 0
— do. do. mixed	"	5 0	— punctatum, spotted	" 1 0
Iris susiana, Susian	"	3 0	— variegatum, variegated	" 1 0
— tuberosa, tuberous	"	3 0	Cyrtanthus obliquus	" 3 6
Ismene in 3 var., 4 of each	"	6 0	Gesneria, 3 fine species, 7s.	" 2 6
Lilium speciosum, red	each	3 0	Gloxinia, 3 do. do. 7s.	" 2 6
speciosum, white	"	1 6	Nerine aurea, golden	" 3 6
Ornithogalum arabicum	"	0 6	Pentlandia miniata, earmine	" 1 6
Panocratum illyricum	"	1 6	Phædranassa chloracea	" 1 6
Ranunculus, double, 100 varieties	100	20 0	Tropæolum azureum, blue	" 3 6
extra fine, mixed	"	7 0	brachyceras, short-horned	" 1 6
Turban, scarlet	"	2 6	Jarrattii, Mr. Jarratt's	" 1 6
— dark crimson	"	2 6	pentaphyllum, five-leaved	" 1 0
— Séraphique	"	3 0	tricolorum, three-coloured	" 1 6
— yellow	"	3 0	SUNDRY PLANTS.	
— finest new mixed	"	5 0	Carnations, prize flowers	12 pair 16 0
new Scotch, named	doz.	4 0	Picotees, white-grounds	12 " 16 0
— finest mixed	100	5 0	—, yellow-grounds	12 " 16 0
Tigridia pavonia, Peacock	per doz.	2 0	Roses, Standards, finest	per doz. 24 0
conchiflora, yellow	"	3 0	— dwarfs, &c. &c.	per doz. 12s. to 18 0
superba, superb	"	3 6		
Tuberoses, double, require heat	"	4 0		

## FRUIT SEEDS. Per packet.

	per packet.	s. d.		per packet.	s. d.
Apricot	"	6	Melion, Water, black Spanish	"	6
Currant, white, red and black, each	"	6	— — Carolina	"	6
Gooseberry, white	"	6	— — Ice-cream	"	6
— red	"	6	— — Long Island	"	6
Grape, finest-flavoured	"	1 0	— — Sweet Cabul	"	6
Melon, Bechwood	"	1 0	— — fine mixed	"	6
— Bromham Hall	"	1 0	Mulberry, white	"	6
— Carter's new hybrid	"	1 0	— black	"	6
— Earliest Cantaloupe	"	6	Neetarine	"	6
— Prescott do.	"	6	Quince	"	6
— Egyptian green-flesh	"	6	Peach	"	6
— Fine netted do.	"	6	Pear and Apple, each	"	6
— Green Citron	"	6	Plum, mixed	"	6
— Netted green-flesh	"	6	Raspberry, finest red	"	6
— New Pocket	"	1 0	Strawberry, red Alpine	"	6
— Rock, scarlet	"	6	— white Alpine	"	6
— splendid large green	"	1 0	— British Queen	"	6
— Trentham Hall	"	1 0	— Elton Pine	"	6
— fine mixed, 20 var.	"	1 0	— Keen's Seedling	"	6
— 6 fine sorts	"	4 0	— fine mixed	"	6

## KITCHEN-GARDEN SEEDS, ETC.

Explanations:—oz. signifies *ounce*; lb. *pound*; pa. *packet*; bush. *bushel*. A  $\frac{1}{2}$  of a lb. may be had at the same rate as a *lb.*;  $\frac{1}{2}$  an oz. at the same rate as an oz.; a *pint* at the same rate as a *qt.*; and a *peck* at the same rate as a *bushel*.

\*\* The Numbers 1 to 12 represent the months of the year, as 3 and 4 March and April, &c. &c.

Month of Sowing.	KITCHEN GARDEN SEEDS.	Price.	Month of Sowing.	See Note at page 31.	Price.
	<i>See note page 31.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green per oz.	1 0	3 to 4	Broccoli, Ithinks' late white oz.	1 0
	"    purple                   "	1 0		"    Howden's superb           "	1 0
	Asparagus, Giant per lb.	2 0		"    Invisible                   "	1 0
10 to 6	"    large early Batavian per oz.	6		"    Incomparable white           "	1 0
	Beans, <i>early sorts</i> per qt.			"    self-protecting           "	1 0
	"    earliest dwarf Fan           "	8		"    Lake's white               "	1 0
	"    early Mazagan               "	8		"    large Cornish               "	1 0
	"    — long-pod               "	8		"    — Spring white               "	1 0
	"    green Nonpareil           "	8		"    late Cape                   "	1 0
	"    Johnson's Wonderful       "	8		"    — close-headed pur.       "	1 0
1 to 5	"    new Emperor               "	8		"    — white                   "	1 0
	"    largest Windsor           "	9		"    London Particular           "	1 0
	"    Taylor's do.               "	9		"    Miller's dwarf white       "	1 0
3 to 5	Beet, fine large red per oz.	4		"    new Mammoth               "	1 0
	"    new German               "	4		"    new Victoria               "	1 0
	"    new purple-top           "	4		"    Portsmouth               "	1 0
	"    Mitchel's crimson       "	4		"    Potter's new pink           "	1 0
	"    small red pickling       "	4		"    Snow's superb               "	1 0
	"    turnip-rooted           "	3		"    very late dwarf Danish     "	1 0
	"    silver or Spinach Beet   "	3		"    Wileove large white       "	1 0
	"    white                   "	3		"    Winter Imperial           "	1 0
	"    Garnishing, in 3 col. per pa.	3		"    1 oz. 8 best for succession	7 0
3 to 4	Borecole, or Kail per oz.			"    1   "    4 do. do.           "	3 6
	"    dwarf green curled       "	3		" $\frac{1}{2}$ "    8 do. do.           "	3 6
	"    dwarf brown           "	3		" $\frac{1}{2}$ "    4 do. do.           "	1 9
	"    tall green               "	3	3 to 4	Brussels Sprouts per oz.	6
	Asparagus, new               "	4		"    imported Belgian           "	1 0
	Blue Giant                   "	4	3 to 9	Cabbage, Atkins' Matchless   "	6
	Buda                       "	3		"    Barnes' early               "	6
	Delaware                   "	3		"    Carter's early               "	1 0
	Jerusalem                  "	3		"    Carter's Matchless       "	1 0
	Knoll                       "	3		"    early Battersea           "	6
	"    new feathered Scotch   "	4		"    — dwarf                   "	6
	"    new heading           "	4		"    — East Ham               "	6
	"    Palm-leaved           "	1 0		"    — Emperor               "	6
	"    purple                   "	3		"    — Enfield Market       "	6
	"    Ragged Jack           "	3		"    — London Market       "	6
	"    variegated, 3 vars.       "	6		"    — Marrow, Tiley's       "	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		"    — Nonpareil               "	6
	"    Cape white               "	1 6		"    — Paignton               "	6
3 to 5	"    early cauliflower       "	1 0		"    — Paragon               "	8
	"    — close-headed pur.     "	1 0		"    — Reliance               "	8
	"    — Grange's               "	1 6		"    — Sprothro'               "	6
	"    — Malta               "	1 0		"    — Sugar-loaf           "	6
	"    — purple               "	1 0		"    — superfine           "	6
	"    — sprouting           "	1 0		"    — Vanack               "	6
3 to 4	"    — Walcheren           "	1 0		"    — West Ham           "	6
	"    — white               "	1 0		"    — York               "	6
	"    Adam's white           "	1 0		"    King of the Cabbages       "	6
	"    Brimstone           "	1 0		"    Shilling's Queen       "	6
	"    Chappel's cream       "	1 0		"    large Battersea       "	6
	"    Dilecock's Bride       "	1 0		"    — Imperial           "	6
	"    dwarf Russiau       "	1 0		"    — Pomeranian       "	8
	"    — Siberian           "	1 0		"    — York               "	6
	"    Elletson's gigantic   "	1 0		"    — Drumhead           "	3

Month of Sow.	oz. ounce ; lb. pound ; qt. quart. 3 & 4, March & April, &c. &c.	Price.	Month of Sow.	pa. packet ; bush. bushel. 10 to 6, November till June, &c.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 9	Cabbage, 1 oz. 6 finest for succes.	3 0	9 to 6	Cucumber, Conning's per pa.	1 0
	½ „ 6 do. do.	1 6		Conqueror of the West „	1 0
	Red, for Pickling per oz.	6		*Cuthill's black spine „	6
	— Dutch, large „	6		— Improved „	1 0
3 to 6	Savoy, new dwarf Ulm „	1 0		Gigantic white „	1 0
	— dwarf green „	6		Hunter's fine „	1 0
	— Drumhead „	6		*Lord Kenyon's Favorite „	6
	— globe „	6		Manchester Prize „	6
	— yellow „	6		Mill's Jewess „	6
	— yellow Blumenthaler „	6		New Prolific „	6
	Chou de Marseilles „	1 0		Sagg's new Exhibition „	1 0
	Chou de Milan, imported „	1 0		*Sion House „	6
3 to 8	Colewort (for greens) „	6		Victory of Suffolk „	1 0
	Conve Tronchuda „	1 0		*Weedon's frame „	6
	Kohl-Rabi, under-ground „	3		6 finest varieties „	5 0
	— above ground, ear. wh. „	6	4 & 5	Egg Plant „	3
	— — early blue „	6	5 to 8	Endive, green curled per oz.	6
	— large purple „	3		white curled „	6
	Thousand-headed „	3		new mossy green „	1 0
2 to 9	Carrot, early Horn per lb. 4s. „	4	8 to 9	green curled winter „	6
	early scarlet frame „	4	5 to 8	Batavian, green „	6
	— long Frankfort „	4		— white „	6
3 to 4	long Surrey, per lb. 4s. „	4	2 & 6	French Beans, dwarf duu, p. qt.	1 6
	— orange, „ „ 4s. „	4		dwarf Canterbury „	1 6
	scarlet Altrincham, lb. 3s. „	3		— Case-knife „	1 6
3 to 5	Cauliflower, early „	1 6		*— dark dun „	1 6
and in	late „	1 6		*— early forcing „	1 6
August	large Asiatic „	1 6		— earliest Victoria „	1 6
	London Market „	1 6		— early prolific „	1 6
	new Giant „	1 6		*— Fulmer's forcing „	1 6
	Walcheren „	1 6		*— New Nonsuch „	1 6
	1 oz. 4 best for succession „	5 0		*— Negro „	1 6
	½ „ 4 do. do. „	2 6		— Pearl Sugar, extra „	1 6
3 to 5	Cardoon, Spanish per oz.	6		— Silver-skinned „	1 6
	new large purple „	1 0		— speckled „	1 6
	Celery, Giant red „	4		— Newington Wonder „	1 6
	Giant white „	4		— Royal dwarf „	1 6
	Champion white „	6		*— Sion House „	1 6
	Cole's solid red „	6		— white Princess „	1 6
	— Crystal white „	6		tall or Scarlet Runners „	1 6
	Jones' Matchless „	4		— Painted Lady do „	1 6
	Lane's new red „	6		— new white do. „	1 6
	large-rooted Celeriac „	3		— Dutch Case-knife „	1 6
	— new curled do. „	3		— French Haricots „	1 6
	Law's white Giant „	4		— Pearl or Turkey „	1 6
	Manchester red „	4	3 to 5	Icc Plant per pa.	3
	— white „	4	4 to 5	Indian Corn, Quarantain „	3
	Seymour's white „	4	3 to 5	Leek, London Flag per oz.	6
	solid red „	3		early Summer „	6
	— white „	3		Musselburg „	1 0
	Corn Salad „	3		new Giant „	1 0
2 to 10	Cress, common per qt.	1 6	3 to 9	Lettuce, Cos, Bath* „	1 0
	triple curled „	1 6		*Cos, black-seeded Bath „	1 0
	golden „ per oz.	3		— Alphonse „	1 0
	Normandy „	3		— Brighton or Cove „	1 0
	perennial American „	3		— Cape „	1 0
	Water „ per pa.	6		*— brown „	1 0
9 to 6	Cucumber, fine frame „	6		*— Egyptian „	1 0
4 & 5	long prickly, per oz. 1s. „	3		— Florence „	1 0
	long German „ 1s. „	3		— green „	1 0
	long Ridge „ 1s. „	3		— Imperial „	1 0
	Stockwood, extra „	6		— Monstrous „	1 0
	short prickly, „ 1s. „	3		*— new hardy green „	1 0
	white Turkey „ 1s. „	3		*— — white „	1 0
	Prize frame varieties :			— — spotted „	1 0
9 to 6	Brown's Improved, per pa.	1 0		— Newington „	1 0
	Carter's white spine „	1 0		— Nonpareil, white „	1 0
	*Colney Hatch, w. s. „	1 0		— — green „	1 0



Month of Sow.	oz. ounce; lb. pound; qt. quart. 3 & 4, March & April, &c. &c.	Price.	Month of Sow.	pa. packet; bush. bushel. 10 to 6, November till June, &c.	Price.
			feet.		
			s. d.		
* Both for Autumn and Spring Sowing.	3 to 9 Lettuce, Cns, Paris per oz.	1 0	10 to 5	Peas, early frame 3 qt.	8
	*Cos, red Winter "	1 0		— Warwick 3 "	8
	— white "	1 0		— Charlton 4 "	8
	1 oz. 6 best sorts "	6 0		Anvergne, fine 4 "	1 0
	$\frac{1}{2}$ " 6 do. do. "	3 0		Bishop's new long-pod. 1 $\frac{1}{2}$ "	1 0
	Cabbage, Asiatic "	1 0		Champion of England 4 "	1 0
	— Belle et Bonne "	1 0		Early blue Eclipse 2 "	1 0
	— blood-red "	1 0		Fairbeard's Surprise 4 "	1 0
	*— brown Dutch "	1 0		New, dwarf 1 "	1 0
	— Drumhead "	1 0		II. <i>Later sorts.</i>	
	— early Stone "	1 0	1 to 6	Marrow, Stub's blue 2 $\frac{1}{2}$ "	1 0
	— Grand Admiral "	1 0		— dwarf white 4 "	10
	*— hardy Hanniersmith "	1 0		— dwarf green 4 "	10
	— Imperial "	1 0		— Noble's green 4 "	1 0
	— Magnum Bonum "	1 0		— Glory of England 6 "	10
	— Malta "	1 0		— matchless green 5 "	10
	— Marseilles "	1 0		— Royal Victoria 6 "	10
	— Mogul "	1 0		— Woodford's green 2 $\frac{1}{2}$ "	10
	— Neapolitan, new "	1 6		III. <i>Wrinkled.**</i>	
	*— white "	1 0	1 to 6	British Queen 6 "	1 4
	— red Swedish "	1 0		Carter's Victoria 6 "	1 6
	*— Tennis-ball "	1 0		Hairs' dwf. Mammoth 2 $\frac{1}{2}$ "	1 6
	— Victoria "	1 0		Knight's dwarf white 3 "	1 0
	— yellow Prince "	1 0		— dwarf green 3 "	1 0
	— Silesian, brown "	1 0		— tall white 5 "	1 0
	— spotted "	1 0		— Ne Plus Ultra 6 "	1 6
	1 oz. 6 finest sorts "	6 0		King of the Marrows 6 "	1 6
	$\frac{1}{2}$ " 6 do. do. "	3 0		Lord Raglan 3 $\frac{1}{2}$ "	5 0
	4 to 5 Love apple (Tomato), red oz.	1 0	Ward's Incomparable 6 "	1 6	
	yellow packet 3d. "	1 0	IV. <i>Various Peas.</i>		
	3 to 6 Mallow, garnishing per pa.	3	1 to 6	Bedman's Imperial 2 $\frac{1}{2}$ "	8
	2 to 10 Mustard, white per qt.	1 4		Blue Prussian 3 "	8
3 to 6 Onion, blood-red, per lb. 7s. p. oz.	6	Flack's Victory 2 "		8	
*Deptford " 5s. "	4	Scimitar 3 "		8	
3 to 5 Globe " 6s. "	6	Sugar (eatable pods) 3 "		1 6	
— new white "	6	Peas for Succession.			
James's keeping "	6	10 finest sorts 2 qts. each	25 0		
3 to 8 *Lisbon "	4	10 do. do. 1 "	12 6		
*new Giant "	6	10 dn. do. 1 pint "	6 6		
3 to 6 Pickling "	6	6 newest do. 1 qt. "	10 0		
Portugal, brown 6s. "	6	6 do. do. 1 pint "	5 0		
— white " 6s. "	6	6 dwarfest do. 1 qt. "	6 0		
*Reading " 6s. "	6	The Wrinkled Marrows**, see			
Silver-skinned "	6	Section III. (including also Cham-			
*Spanish, brown, " 6s. "	6	pion of England, &c.), form a dis-			
*— white " 6s. "	6	tinct class, and can be highly recom-			
*Strasbourg "	4	mended. Carter's Victoria Marrow			
*Tripoli, large flat "	6	is warranted one of the largest and			
*— round "	6	finest-flavoured of all the White Peas.			
3 to 6 very early Nocera "	1 0	II. III. and IV. all good for middle			
8 to 9 Welch "	3	and late crops. Bedman's Imperial,			
* 6 finest sorts, 2 oz. each	5 0	Knight's dwarf, Prussian Blue, Rayat			
6 do. do. 1 do. "	2 6	Victoria and Carter's Victoria far			
Orach, French Spinach oz.	4	very late crops.			
— yellow "	4	4 to 5	Pompkin, large yellow per pa.	3	
— purple garnishing "	3		Potato, early per pa. 6d. p. oz.	1 6	
3 to 8 Parsley, extra curled per oz.	3		late " 6d. "	1 6	
Myatt's garnishing "	6		1 to 9 Radish, long frame per qt.	2 0	
new matchless "	6		Wood's new frame "	2 0	
large-rooted Hamburg "	3	early scarlet "	2 0		
3 to 5 Parsnip, best large "	3	early short topt "	2 0		
Hollow-crowned "	4	long Salmon "	2 0		
Turnip-rooted "	4	white Naples "	3 0		
Peas, and their height in feet:					
1. <i>Earliest.</i> feet. qt.					
10 to 5	Carter's earliest — 2 $\frac{1}{2}$ "	1 6			
	Warner's Emperor 3 "	9			
	Prince Albert 2 $\frac{1}{2}$ "	9			

Month. of Sow.	oz. ounce; lb. pound; qt. quart. 3 & 4, March & April, &c. &c.	Price.	Month of Sow.	pa. packet; bush. bushel. 10 to 6, November till June, &c.	Price.
		<i>s. d.</i>			<i>s. d.</i>
1 to 9	Radish, red Turnip per qt.	2 0		Buglos Hyslop	
	white Turnip "	2 0		Capsicum, large Lavender	
	mixed Turnip "	2 0		— cherry Marjoram, pot	
	new olive-shaped per oz.	3		— large bell — sweet	
	black Spanish, summer "	3		— Squash Pinpernel	
	— — winter "	3		— Sweet Pot Marigold	
	new China rose-cold "	6		— — Spanish Purslain, green	
4 to 6	Rampion per pa.	3		Chervil, curled — golden	
	Rhubarb, mixed "	6		Chilis Rosemary	
	Eleonora "	6		Clary Rue	
	Royal Albert "	6		Dill Sage	
	Victoria "	6		Fennel Savory, Summer	
	Salsafy per oz.	6		— Bolognese — Winter	
	Scorzonera "	6		— Florence Scurvy Grass	
3 to 6	Sea Kail "	6		— sweet Tarragon, plants	
	Skirret "	6		— — Dutch Tobacco, fumig.	
	Sorrel "	4		Fenugreek Thyme	
	broad-leaved "	4		Horehound Wormwood	
3 to 9	Spinach, round per qt.	1 0		<i>Chives, Lemon Thyme and</i>	
	priekly "	1 0		<i>Tarragon to be had in Plants</i>	
	new Gaudry per oz.	3		<i>only.</i>	
	new Savoy "	4			
	broad Flanders per qt.	1 0		ROOTS AND PLANTS.	
3 to 6	New Zealand per oz.	6		<i>Some of the prices variable.</i>	
4 to 6	Squash, fine mixed, 8 var. pa.	6		Artichokes per peck	2 0
3 to 8	Turnip, early Dutch, lb. 3s., oz.	3		— Jerusalem "	2 0
	early Mousetail, " 3s., "	3		Asparagus, 2 years per 100	2 6
	— Six-week "	3		— 3 years, large "	5 0
	— Snowball "	3		— extra large, for foreing "	7 0
	— Nonsuch "	3		Garlie per lb.	1 0
	— Selected Stone, lb. 3s., "	3		Mushroom Spawn per bush.	4 0
	new American, extra "	4		Potato, early ash-leaved "	
	new black for stewing "	4		— Regents, late "	
	large white "	3		And all other sorts.	
	yellow Maltese "	3		Rhubarb, Linnaeus each	1 0
	— Dutch "	3		Royal Albert "	1 0
	— orange Jelly "	3		Tobolsk "	1 0
	— Stone "	3		Victoria "	1 0
	— Swedish, finest "	2		Sea Kail per 100	6 0
	— Teltan or Märksche "	6		— extra large, for foreing "	12 0
4 to 6	Vegetable Marrow per pa.	3		Shallots per lb.	1 0
	white, egg-shaped "	3			
	cream, new Globe "	6			
HERBS.			<i>And all other Seeds and Plants for the Kitchen Garden. When sown before the usual time in Spring, a hot-bed frame is required for Carrot, Cauliflower, Cucumber, French Beans, Gourds, Lettuce, Potato, Pompkin, Radish, Vegetable Marrow, and most others except Peas and Beans.</i>		
<i>In 3d. Packets; or per Ounce; to be sown in April or May.</i>					
	Angelica Basil, sweet				
	Anise Benediet				
	Balm Borage				
	Basil, bush Burnet				

Ladies and Gentlemen who prefer leaving the selection of Kitchen Garden Seeds to J. Carter, can be supplied with Collections comprising the most approved and useful sorts, upon the following terms:

Collections at £1, £2, £3, £4, and £5 each.

*\*\* Most other Kitchen Garden Seeds, as Peas, &c., not in this Catalogue, can be supplied at the Current Prices.*

## AGRICULTURAL SEEDS.

The prices of Clover and other Agricultural Seeds are variable.

	s.	d.		s.	d.
Beet, Sugar	per lb.		Rape, broad-leaved	bush.	
Buck Wheat	per bush.		Rye		
Burnet	per lb. or cwt.		Tares, Spring	"	
Broom	"		— Winter	"	
Cabbage, Drumhead	"		Turnip, Dale's hybrid per lb. or bush.		
— flat Brunswick	"		Aberdeen, yellow	"	
— flat Dutch	"		Globe, green	"	
— large Savoy	"		— red	"	
— Thousand-headed	"		— white	"	
— Kohl-Rabi, purple	"		Gordon yellow	"	
— — green	"		Round, green	"	
— — under-ground	"		— red	"	
Carrot, long red	"		— white	"	
— largest red Altringham	"		Swedish, Ashcroft's	"	
— white Belgian	"		— Emperor	"	
— yellow Belgian	"		— Fettercairn	"	
Caraway	per lb. or cwt.		— green top	"	
Chicory, Brunswick	lb.		— purple top	"	
— large-rooted for Coffee	"		— Laing's	"	
Flax or Linseed	bush.		— Matson's	"	
Furze, Gorse or Whin	lb.		— River's Stubble	"	
— French	"		— Skirving's	"	
Gold of Pleasure	"		Stubble Stone	"	
Kail, curled	"		Tankard, green	"	
Mangel-Wurzel, long red	"		— red	"	
— long yellow	"		— white	"	
— long white	"		— yellow	"	
— red Globe	"		Yellow, Scotch g. top	"	
— white Globe	"		— Scotch purple top	"	
— yellow Globe	"				
Mustard, white	bush.				
— brown	"				
Parsley	"				
Parsnip	lb.				
— large Guernsey	"				

TEXIAN GRAIN, new, resembles  
Wheat in shape, but is smaller and  
shorter in proportion and without the  
furrow.

New Texian Grass, excellent „

1 0  
6

## GRASS, CLOVER, AND OTHER FORAGE PLANTS.

	s.	d.		s.	d.
Achillea Millefolium, Yarrow	bush. or per lb.		Lolium perenne sempervirens, evergreen		
Agrostis stolonifera, Fiorin or Bent	"		Rye Grass	per bush.	
Aira cæspitosa, tufted Hair Grass	"		— annuum, annual	do.	
Alopecurus pratensis, Meadow Foxtail	"		Lotus corniculatus, Bird's-foot Trefoil	lb.	
Anthoxanthum odoratum, Sweet Vernal	"		— lupulina, common Trefoil	cwt.	
Arrhenatherum avenaceum, French Rye Grass	"		Melilotus leucantha major, Bokhara Clover	lb.	
Avena elatior, tall Oat Grass	"		Onobrychis sativa, Sainfoin	bush.	
— flavescens, yellow Oat do.	"		Phleum pratense, Timothy or Cat's-tail	lb.	
Cynosurus cristatus, crested Dog's-tail	"		Poa angustifolia, narrow-leaved Meadow	"	
Dactylis glomerata, Rough Cock's-foot	"		— pratensis, smooth-stalked Meadow	"	
Festuca duriuscula, Hard Fescue	"		— nemoralis, wood Meadow	"	
— elatior, tall Fescue	"		— nervosa, strong Meadow	"	
— ovina, Sheep's Fescue	"		— trivialis, trivial or rough-stalked Meadow	"	
— pratensis, meadow Fescue	"		Trifolium pratense, red Clover	cwt. or lb.	
— rubra, red Fescue	"		— perenne, perennial or Cow Grass	"	
— tenuifolia, fine-leaved Fescue	"		— repens, white or Dutch Clover	"	
Holcus lanatus, Yorkshire Fog	"		— hybridum, or Alsike	"	
Lolium italicum, Italian Rye Grass	per bush.		— incarnatum, crimson Italian	"	
— perenne, Perennial	do.		— minus, Suckling	"	
— — Pacey's	do.				

## MIXED GRASS SEEDS FOR LAWNS, PASTURES, &amp;c.

	lb.	bush.	acre.		lb.	bush.	acre.
Lawn Grass for light soils				Permanent Grass for light soils			
— for heavy	do.			— for heavy	do.		
— „ gravelly dry	do.			— „ gravelly dry	do.		
— „ marshy	do.			— „ marshy	do.		
— „ mossy	do.			— „ mossy	do.		
— „ moory	do.			— „ moory	do.		